1997 Index
IEEE Transactions on Circuits and Systems II: Analog and Digital Signal Processing Vol. 44

This index covers all technical items - papers, correspondence, reviews, etc. - that appeared in this periodical during 1997, and items from previous years that were commented upon or corrected in 1997.

The Author Index contains the primary entry for each item, listed under the first author's name, and cross-references from all coauthors. The Subject Index contains several entries for each item under appropriate subject headings, and subject cross-references.

It is always necessary to refer to the primary entry in the Author Index for the exact title, coauthors, and comments/corrections.

AUTHOR INDEX

A

Abrishamifar, A., *see* Lahiji, G.R., *T-CAS2 May 97* 412-417
Agaian, S.S., *see* Akopian, D.A., *T-CAS2 Mar 97* 197-208
Ahmad, M.O., *see* Zhu, W.-P., *T-CAS2 Dec 97* 1032-1039
Ahmadi, M., *see* Safiri, H., *T-CAS2 May 97* 409-412
Ahmed, K., *see* Al-Ahmad, H., *T-CAS2 May 97* 417-420
Ai Lipin, *see* Lipin Ai, *T-CAS2 Jun 97* 461-467
Akers, L.A., *see* Theogarajan, L., *T-CAS2 Nov 97* 977-979
Akopian, D.A., O. Vainio, S.S. Agaian, and J.T. Astola. SBNR processor for stack filters; *T-CAS2 Mar 97* 197-208
Al-Ahmad, H., and K. Ahmed. A novel technique for initializing digital IIR filters with a finite number of samples at a single frequency; *T-CAS2 May 97* 417-420
Allen, G.H., *see* Place, A.G., *T-CAS2 Oct 97* 869-873
Anderson, J.M.M., and W. Edmonson. System identification with noisy input-output data using a cumulant-based Steiglitz-McBride algorithm; *T-CAS2 May 97* 407-409
Andreou, A.G., *see* Kumar, N., *T-CAS2 Sep 97* 723-728
Andrew, J.P., and P.O. Ogunbona. On the step response of the DCT; *T-CAS2 Mar 97* 260-262
Andrew, L., V.T. Franques, and V.K. Jain. Eigen design of quadrature mirror filters; *T-CAS2 Sep 97* 754-757
Antoniou, A., *see* Peters, S.D., *T-CAS2 Jan 97* 11-21
Antoniou, A., *see* De Campos, M.L.R., *T-CAS2 Nov 97* 924-934
Arabshahi, P., R.J. Marks, II, Seho Oh, T.P. Caudell, J.J. Choi, and Bong-Gee Song. Pointer adaptation and pruning of min-max fuzzy inference and estimation; *T-CAS2 Sep 97* 696-709
Arce, G.R., *see* Barner, K.E., *T-CAS2 Jul 97* 531-548
Astola, J.T., *see* Akopian, D.A., *T-CAS2 Mar 97* 197-208

B

Bakic, P.R., N.S. Vujovic, D.P. Brzakovic, P.D. Kostic, and B.D. Reljin. CNN paradigm based multilevel halftoning of digital images; *T-CAS2 Jan 97* 50-53
Bang-Sup Song, *see* Un-Ku Moon, *T-CAS2 Feb 97* 102-109
Barner, K.E., and G.R. Arce. Design of permutation order statistic filters through group colorings; *T-CAS2 Jul 97* 531-548
Barr-Ness, Y., *see* Kamel, R.E., *T-CAS2 May 97* 397-403
Barret, M., and M. Benidir. Behaviour of stability tests for two-dimensional digital recursive filters when faced with rounding errors; *T-CAS2 Apr 97* 319-323
Baschirotto, A., G. Cesura, F. Rezzi, and F. Svelto. Low-power BiCMOS continuous-time shaping filter; *T-CAS2 May 97* 404-406
Basu, S., *see* Tan, A.C., *T-CAS2 May 97* 358-370
Bellanger, M.G., *see* Coradine, L.C., *T-CAS2 Sep 97* 757-762
Benidir, M., *see* Barret, M., *T-CAS2 Apr 97* 319-323
Beomsup Kim Dual-loop DPLL gear-shifting algorithm for fast synchronization; *T-CAS2 Jul 97* 577-586
Beomsup Kim, *see* Gyoung-Tae Roh, *T-CAS2 Sep 97* 729-740
Berg, A.P., and W.B. Mikhael. An efficient structure and algorithm for image representation using nonorthogonal basis images; *T-CAS2 Oct 97* 818-828
Bhattacharya, D., *see* Sankarayya, N., *T-CAS2 Jun 97* 488-497
Bhattacharya, D., *see* Grochowski, A., *T-CAS2 Aug 97* 610-633
Birru, D. Optimized reduced sample rate sigma-delta modulation; *T-CAS2 Nov 97* 896-906
Bomar, B.W., L.M. Smith, and R.D. Joseph. Roundoff noise analysis of state-space digital filters implemented on floating-point digital signal processors; *T-CAS2 Nov 97* 952-955
Bong-Gee Song, *see* Arabshahi, P., *T-CAS2 Sep 97* 696-709
Boucheron, C., *see* Fabre, A., *T-CAS2 Jun 97* 436-446
Bourbakis, N., N. Steffensen, and B. Saha. Design of an array processor for parallel skeletonization of images; *T-CAS2 Apr 97* 284-298
Brachtendorf, H.G., C. Eck, and R. Laur. Macromodeling of hysteresis phenomena with SPICE; *T-CAS2 May 97* 378-388
Brzakovic, D.P., *see* Bakic, P.R., *T-CAS2 Jan 97* 50-53
Bucklew, I.A., *see* Sharma, R., *T-CAS2 Oct 97* 798-807
Burrus, C.S., *see* Selesnick, I.W., *T-CAS2 Feb 97* 137-143
Byeong Gi Lee, *see* Jae Hwi Shin, *T-CAS2 Mar 97* 226-239
Byeong Gi Lee, *see* Seung Joo Maeng, *T-CAS2 Apr 97* 310-315

C

Campbell, W.M., and T.W. Parks. Optimal design of partial-band time-varying systems; *T-CAS2 Apr 97* 274-283
Caudell, T.P., *see* Arabshahi, P., *T-CAS2 Sep 97* 696-709
Cauwenberghs, G., *see* Kumar, N., *T-CAS2 Sep 97* 723-728
Cesura, G., *see* Baschirotto, A., *T-CAS2 May 97* 404-406
Chakrabarti, P.P., *see* Mohan, C.R., *T-CAS2 May 97* 371-377
Chang Chun-Ming, *see* Chun-Ming Chang, *T-CAS2 Nov 97* 956-958
Chang Yu-Tai, *see* Yu-Tai Chang, *T-CAS2 Nov 97* 959-962
Chaur-Heh Hsieh, Chung-Ming Kuo, Yue-Dar Jou, and Ying-Luan Han. Design of two-dimensional FIR digital filters by a two-dimensional WLS technique; *T-CAS2 May 97* 348-357
Cheng Sei-Yeu, *see* Sei-Yeu Cheng, *T-CAS2 Mar 97* 240-250
Chengshan Xiao Improved model reduction procedure for 2-D separable denominator digital systems; *T-CAS2 Nov 97* 979-982
Chen Kuan-Dar, *see* Tai-Haur Kuo, *T-CAS2 Apr 97* 299-309
Chen-Mie Wu, M. Vishwanath, R.M. Owens, and M.J. Irwin. A new IIR algorithm based on the overlap-save approach; *T-CAS2 Sep 97* 783-785
Chen Sheng-Tsai, *see* Tan, A.C., *T-CAS2 May 97* 358-370
Chen Tongwen, *see* Huang Shu, *T-CAS2 Feb 97* 120-128
Chen Tongwen, *see* Mirabbasi, S., *T-CAS2 Jul 97* 597-600
Cherkauer, B.S., and E.G. Friedman. A hybrid radix-4/madix-8 low power signed multiplier architecture; *T-CAS2 Aug 97* 656-659
Chicharo, J.F., *see* Jiangtao Xi, *T-CAS2 Jan 97* 41-45
Chicharo, J.F., *see* Jingtao Xi, *T-CAS2 Mar 97* 257-260
Chien-Cheng Tseng, *see* Soo-Chang Pei, *T-CAS2 Feb 97* 133-136
Chien-Cheng Tseng, *see* Soo-Chang Pei, *T-CAS2 Sep 97* 765-768
Chimin Tsai Floating-point roundoff noises of first- and second-order sections in parallel form digital filters; *T-CAS2 Sep 97* 774-779
Ching, P.C., *see* Wan, K.F., *T-CAS2 Feb 97* 147-151
Chin-Liang Wang, *see* Wang, T., *T-CAS2 Oct 97* 877-881
Chin-Liang Wang, *see* Yu-Tai Chang, *T-CAS2 Nov 97* 959-962
Choi, J.J., *see* Arabshahi, P., *T-CAS2 Sep 97* 696-709
Chorng-Kuang Wang, and Po-Chiun Huang. An automatic gain control architecture for SONET OC-3 VLSI; *T-CAS2 Sep 97* 779-783
Chukurov, D.D., *see* Izadpanah, H., *T-CAS2 Jun 97* 482-487
Chung-Ming Kuo, *see* Chaur-Heh Hsieh, *T-CAS2 May 97* 348-357
Chun-Ming Chang Multifunction biquadratic filters using current conveyors; *T-CAS2 Nov 97* 956-958
Claesson, I., *see* Nordebo, S., *T-CAS2 Mar 97* 251-253
Coltuc, D., and I. Pitas. On fast running max-min filtering; *T-CAS2 Aug 97* 660-663
Comer, D.J., *see* Comer, D.T., *T-CAS2 Oct 97* 856-861
Comer, D.T., D.J. Comer, and J.R. Gonzalez. A high-frequency integrable bandpass filter configuration; *T-CAS2 Oct 97* 856-861
Concetti, A., and L. Jetto. Two-dimensional recursive filtering algorithm with edge preserving properties and reduced numerical complexity; *T-CAS2 Jul 97* 587-591
Coradine, L.C., J.M.T. Romano, and M.G. Bellanger. Adaptive filtering in cascade form using a fast multichannel RLS algorithm; *T-CAS2 Sep 97* 757-762
Cordell, R.R., *see* Izadpanah, H., *T-CAS2 Jun 97* 482-487
Cortadella, J., *see* Lang, T., *T-CAS2 Jun 97* 507-516

D

Daigle, J.N., *see* Lipin Ai, *T-CAS2 Jun 97* 461-467
Daniel, M.M., and A.S. Willsky. Efficient implementations of 2-D noncausal IIR filters; *T-CAS2 Jul 97* 549-563
Davis, A.J., *see* Fischer, G., *T-CAS2 Oct 97* 789-797
DeBrunner, V., Wei Lou, and J. Thripuraneni. Multiple transform algorithms for time-varying signal representation; *T-CAS2 Aug 97* 663-667
De Campos, M.L.R., and A. Antoniou. A new quasi-Newton adaptive filtering algorithm; *T-CAS2 Nov 97* 924-934
Dempster, A.G., and M.D. Macleod. Comparison of fixed-point FIR digital filter design techniques; *T-CAS2 Jul 97* 591-593
Deng Tian-Bo, *see* Tian-Bo Deng, *T-CAS2 Sep 97* 689-695
Denk, T.C., and K.K. Parhi. VLSI architectures for lattice structure based orthonormal discrete wavelet transforms; *T-CAS2 Feb 97* 129-132
Deprettere, E.F., *see* Vanpoucke, F.J., *T-CAS2 Mar 97* 253-256
Doherty, J.F., and R. Porayath. A robust echo canceler for acoustic environments; *T-CAS2 May 97* 389-396
Doherty, J.F., *see* Park, O.C., *T-CAS2 Jun 97* 453-460
Doi, A., *see* Hinamoto, T., *T-CAS2 Aug 97* 667-670
Douglas, S.C. Adaptive filters employing partial updates; *T-CAS2 Mar 97* 209-216
Duchene, B., *see* Oklobdzija, V.G., *T-CAS2 Nov 97* 974-976
Duncan, R., K.W. Martin, and A.S. Sedra. A Q-enhanced active-RLC bandpass filter; *T-CAS2 May 97* 341-347
Dutta, A.K., and S. Kiaei. Adaptive multiuser detector for asynchronous DS-CDMA in Rayleigh fading; *T-CAS2 Jun 97* 468-472

E

Eck, C., *see* Brachtendorf, H.G., *T-CAS2 May 97* 378-388
Edmonson, W., *see* Anderson, J.M.M., *T-CAS2 May 97* 407-409
Embabi, S.H.K., *see* Fan You, *T-CAS2 Aug 97* 678-683
Ercegovac, M.D., *see* Fernando, J.S., *T-CAS2 Oct 97* 861-864
Evans, J.B., *see* Sei-Yeu Cheng, *T-CAS2 Mar 97* 240-250

F

Fabre, A., O. Saaid, F. Wiest, and C. Boucheron. Low power current-mode second-order bandpass IF filter; *T-CAS2 Jun 97* 436-446
Falkowski, B.J., and S. Rahardja. Classification and properties of fast linearly independent logic transformations; *T-CAS2 Aug 97* 646-655
Fa-Long Luo, *see* Reif, K., *T-CAS2 Oct 97* 873-876
Fan You, S.H.K. Embabi, and E. Sanchez-Sinencio. On the common mode rejection ratio in low voltage operational amplifiers with complementary N-P input pairs; *T-CAS2 Aug 97* 678-683
Farre, J.A., *see* Solhusvik, J., *T-CAS2 Mar 97* 164-173
Fengcheng Lin, *see* Oklobdzija, V.G., *T-CAS2 Oct 97* 842-846
Ferguson, P., *see* Yunteng Huang, *T-CAS2 Jul 97* 593-597
Fernando, J.S., and M.D. Ercegovac. A method of eliminating oscillations in high-speed recursive digital filters; *T-CAS2 Oct 97* 861-864
Ferrari, L.A., *see* Harashima, M., *T-CAS2 May 97* 421-424
Fertner, A. Frequency-domain echo canceller with phase adjustment; *T-CAS2 Oct 97* 835-841
Fertner, A., and C. Solve. An adaptive gain control with a variable step size for use in high-speed data communication systems; *T-CAS2 Nov 97* 962-966
Fischer, G., and A.J. Davis. Alternative topologies for sigma-delta modulators-a comparative study; *T-CAS2 Oct 97* 789-797
Francis, B., *see* Mirabbasi, S., *T-CAS2 Jul 97* 597-600
Francis, B.A., *see* Huang Shu, *T-CAS2 Feb 97* 120-128
Franques, V.T., *see* Andrew, L., *T-CAS2 Sep 97* 754-757
Frey, D.R., *see* Melvin, W.L., *T-CAS2 Oct 97* 829-834
Friedman, E.G., *see* Kiaei, S., *T-CAS2 Jun 97* 425-427
Friedman, E.G., *see* Hahm, M.D., *T-CAS2 Jun 97* 498-506
Friedman, E.G., *see* Cherkauer, B.S., *T-CAS2 Aug 97* 656-659
Frolik, J.L., and A.E. Yagle. Forward and inverse scattering for discrete layered lossy and absorbing media; *T-CAS2 Sep 97* 710-722

G

Gallaher, D., F.E. Petry, and P. Srinivasan. The digit parallel method for fast RNS to weighted number system conversion for specific moduli $(2^k-1, 2^k, 2^k+1)$; *T-CAS2 Jan 97* 53-57
Galton, I. Spectral shaping of circuit errors in digital-to-analog converters; *T-CAS2 Oct 97* 808-817
Geffe, P.R. On numerical technique in analog filter synthesis; *T-CAS2 Apr 97* 336-338
Gi Lee Byeong, *see* Jae Hwi Shin, *T-CAS2 Mar 97* 226-239
Gi Lee Byeong, *see* Seung Joo Maeng, *T-CAS2 Apr 97* 310-315
Gonzalez, J.R., *see* Comer, D.T., *T-CAS2 Oct 97* 856-861
Goutis, C.E., *see* Soudris, D.J., *T-CAS2 Apr 97* 315-318
Green, M.M., *see* Prodanov, V.I., *T-CAS2 Apr 97* 265-273
Grochowski, A., D. Bhattacharya, T.R. Viswanathan, and K. Laker. Integrated circuit testing for quality assurance in manufacturing: history, current status, and future trends; *T-CAS2 Aug 97* 610-633
Gyoung-Tae Roh, Yong Hoon Lee, and Beomsup Kim. Optimum phase-acquisition technique for charge-pump PLL; *T-CAS2 Sep 97* 729-740

H

Hahm, M.D., E.G. Friedman, and E.L. Titlebaum. A comparison of analog and digital circuit implementations of low power matched filters for use in portable wireless communication terminals; *T-CAS2 Jun 97* 498-506
Hamada, N., *see* Nakachi, T., *T-CAS2 Oct 97* 865-868
Han Ying-Luan, *see* Chaur-Heh Hsieh, *T-CAS2 May 97* 348-357
Harashima, M., L.A. Ferrari, and P.V. Sankar. Spline approximation using Kalman filter state estimation; *T-CAS2 May 97* 421-424
Harjani, R., and B. Vinnakota. Analog circuit observer blocks; *T-CAS2 Mar 97* 154-163
Heath, J.R., S. Ramamoorthy, C.E. Stroud, and A.D. Hurt. Modeling, design, and performance analysis of a parallel hybrid data/command driven architecture system and its scalable dynamic load balancing circuit; *T-CAS2 Jan 97* 22-40
Hen-Geul Yeh An efficient implementation of forward-backward LMS adaptive filters; *T-CAS2 Apr 97* 332-336
He Shiping, *see* Shiping He, *T-CAS2 Jun 97* 447-452
Hinamoto, T., A. Doi, and M. Muneyasu. 2-D adaptive state-space filters based on the Fornasini-Marchesini second model; *T-CAS2 Aug 97* 667-670
Hoon Lee Yong, *see* Gyoung-Tae Roh, *T-CAS2 Sep 97* 729-740
Hsieh Chaur-Heh, *see* Chaur-Heh Hsieh, *T-CAS2 May 97* 348-357
Hsing-Mean Sha, E., *see* Wang, J.Q., *T-CAS2 Sep 97* 741-753
Huang Po-Chiun, *see* Chorng-Kuang Wang, *T-CAS2 Sep 97* 779-783
Huang Shu, Tongwen Chen, and B.A. Francis. Minimax design of hybrid multirate filter banks; *T-CAS2 Feb 97* 120-128
Huang Yunteng, *see* Yunteng Huang, *T-CAS2 Jul 97* 593-597
Hui Yan, *see* Smith, M.R., *T-CAS2 Feb 97* 143-147
Hurt, A.D., *see* Heath, J.R., *T-CAS2 Jan 97* 22-40
Hu Xiheng, *see* Xiheng Hu, *T-CAS2 Apr 97* 330-332
Hwi Shin Jae, *see* Jae Hwi Shin, *T-CAS2 Mar 97* 226-239

I

Il-Taek Lim, *see* Seung Joo Maeng, *T-CAS2 Apr 97* 310-315
Irwin, M.J., *see* Chen-Mie Wu, *T-CAS2 Sep 97* 783-785
Izadpanah, H., R.C. Malkemes, D.D. Chukurov, and R.R. Cordell. Low-power transmitter experimental prototype and simulation for personal access communications system (PACS); *T-CAS2 Jun 97* 482-487

J

Jae Hwi Shin, and Byeong Gi Lee. Improved LBR two-pair extraction methods for low sensitivity digital filter realizations; *T-CAS2 Mar 97* 226-239
Jain, V.K., *see* Andrew, L., *T-CAS2 Sep 97* 754-757
Jakusz, J., *see* Szczepanski, S., *T-CAS2 Mar 97* 174-187
Jayasumana, A.P., *see* Menon, S.M., *T-CAS2 Nov 97* 970-974
Jenkins, W.K., *see* Schnaufer, B.A., *T-CAS2 Dec 97* 1001-1014
Jetto, L., *see* Concetti, A., *T-CAS2 Jul 97* 587-591
Jiangtao Xi, and J.F. Chicharo. Shift properties of discrete W transforms and real time discrete W analyzers; *T-CAS2 Jan 97* 41-45
Jiang Zhongnong, *see* Zhongnong Jiang, *T-CAS2 Feb 97* 110-119
Jingtao Xi, and J.F. Chicharo. Computing running discrete Hartley transform and running discrete W transforms based on the adaptive LMS algorithm; *T-CAS2 Mar 97* 257-260
Johns, D.A., *see* Khoini-Poorfard, R., *T-CAS2 Aug 97* 634-645
Johnson, T.G., *see* Soderstrand, M.A., *T-CAS2 Mar 97* 217-225
Joo Maeng Seung, *see* Seung Joo Maeng, *T-CAS2 Apr 97* 310-315
Joseph, R.D., *see* Bomar, B.W., *T-CAS2 Nov 97* 952-955
Jou Yue-Dar, *see* Chaur-Heh Hsieh, *T-CAS2 May 97* 348-357

K

Kamel, R.E., and Y. Bar-Ness. Anchored blind equalization using the constant modulus algorithm; *T-CAS2 May 97* 397-403

Khoini-Poorfard, R., L.B. Lim, and D.A. Johns. Time-interleaved oversampling A/D converters: theory and practice; *T-CAS2 Aug 97* 634-645

Kiaei, S., and E.G. Friedman. Introduction to the special issue on low power wireless communication; *T-CAS2 Jun 97* 425-427

Kiaei, S., *see* Dutta, A.K., *T-CAS2 Jun 97* 468-472

Kim Beomsup, *see* Beomsup Kim, *T-CAS2 Jul 97* 577-586

Kim Beomsup, *see* Gyoung-Tae Roh, *T-CAS2 Sep 97* 729-740

Koch, C., *see* Krammer, J., *T-CAS2 Feb 97* 86-101

Kostic, P.D., *see* Bakic, P.R., *T-CAS2 Jan 97* 50-53

Krammer, J., and C. Koch. Pulse-based analog VLSI velocity sensors; *T-CAS2 Feb 97* 86-101

Kuan-Dar Chen, *see* Tai-Haur Kuo, *T-CAS2 Apr 97* 299-309

Kumar, N., G. Cauwenberghs, and A.G. Andreou. Auditory feature extraction using self-timed, continuous-time discrete-signal processing circuits; *T-CAS2 Sep 97* 723-728

Kuo Chung-Ming, *see* Chaur-Heh Hsieh, *T-CAS2 May 97* 348-357

Kuo Tai-Haur, *see* Tai-Haur Kuo, *T-CAS2 Apr 97* 299-309

L

Lahiji, G.R., O. Oleyaie, and A. Abrishamifar. New operational amplifier using a positive feedback; *T-CAS2 May 97* 412-417

Laker, K., *see* Grochowski, A., *T-CAS2 Aug 97* 610-633

Lang, T., E. Musoll, and J. Cortadella. Individual flip-flops with gated clocks for low power datapaths; *T-CAS2 Jun 97* 507-516

Laur, R., *see* Brachtendorf, H.G., *T-CAS2 May 97* 378-388

Lavernhe, F., *see* Solhusvik, J., *T-CAS2 Mar 97* 164-173

Lee Byeong Gi, *see* Jae Hwi Shin, *T-CAS2 Mar 97* 226-239

Lee Byeong Gi, *see* Seung Joo Maeng, *T-CAS2 Apr 97* 310-315

Lee Shuenn-Yuh, *see* Tai-Haur Kuo, *T-CAS2 Apr 97* 299-309

Lee Yong Hoon, *see* Gyoung-Tae Roh, *T-CAS2 Sep 97* 729-740

Lewicki, L.D., *see* Opris, I.E., *T-CAS2 Dec 97* 985-989

Li, Y., and K.K. Parhi. STAR recursive least square adaptive filters; *T-CAS2 Dec 97* 1040-1054

Lim, L.B., *see* Khoini-Poorfard, R., *T-CAS2 Aug 97* 634-645

Lim, Y.C., and S.H. Low. Practical design rules for minimax linear phase diamond-shaped 2-D FIR low-pass filters; *T-CAS2 Nov 97* 966-970

Lim Il-Taek, *see* Seung Joo Maeng, *T-CAS2 Apr 97* 310-315

Lin Fengcheng, *see* Oklobdzija, V.G., *T-CAS2 Oct 97* 842-846

Lipin Ai, J.N. Daigle, and R. Petrovic. Group-delay optimized IF filters for narrowband PCS; *T-CAS2 Jun 97* 461-467

Litva, J., *see* Shiping He, *T-CAS2 Jun 97* 447-452

Lo, T.K.Y., *see* Shiping He, *T-CAS2 Jun 97* 447-452

Loomis, H.H., Jr., *see* Soderstrand, M.A., *T-CAS2 Mar 97* 217-225

Lou Wei, *see* DeBrunner, V., *T-CAS2 Aug 97* 663-667

Low, S.H., *see* Lim, Y.C., *T-CAS2 Nov 97* 966-970

Lu, J., *see* Zou, L.-H., *T-CAS2 Dec 97* 990-1000

Lu, W.-S. Order reduction of 2-D FIR filters with applications; *T-CAS2 Dec 97* 1055-1058

Luo Fa-Long, *see* Reif, K., *T-CAS2 Oct 97* 873-876

Lu Wu-Sheng, *see* Soo-Chang Pei, *T-CAS2 Sep 97* 765-768

M

Macleod, M.D., *see* Dempster, A.G., *T-CAS2 Jul 97* 591-593

Maeng Seung Joo, *see* Seung Joo Maeng, *T-CAS2 Apr 97* 310-315

Magana, M.E., *see* Myers, T., *T-CAS2 Sep 97* 762-765

Maksimovic, D., *see* Oklobdzija, V.G., *T-CAS2 Oct 97* 842-846

Malaiya, Y.K., *see* Menon, S.M., *T-CAS2 Nov 97* 970-974

Malkemes, R.C., *see* Izadpanah, H., *T-CAS2 Jun 97* 482-487

Manduchi, R. Two-dimensional IFIR structures using generalized factorizable filters; *T-CAS2 Jul 97* 564-576

Marks, R.J., II, *see* Arabshahi, P., *T-CAS2 Sep 97* 696-709

Martin, K.W., *see* Duncan, R., *T-CAS2 May 97* 341-347

Melvin, W.L., and D.R. Frey. Continuous-time to discrete-time conversion via a novel parametrized s-to-z-plane mapping; *T-CAS2 Oct 97* 829-834

Mendel, J.M., and G.C. Mouzouris. Designing fuzzy logic systems; *T-CAS2 Nov 97* 885-895

Menon, S.M., Y.K. Malaiya, and A.P. Jayasumana. ECL storage elements: modeling of faulty behavior; *T-CAS2 Nov 97* 970-974

Mikhael, W.B., *see* Berg, A.P., *T-CAS2 Oct 97* 818-828

Mirabbasi, S., B. Francis, and Tongwen Chen. Controlling distortions in maximally decimated filter banks; *T-CAS2 Jul 97* 597-600

Mitra, S.K. In memoriam: Sydney R. Parker (1923-1996); *T-CAS2 Mar 97* 153

Mohan, C.R., and P.P. Chakrabarti. Factorizing FSM's with modify and restore method; *T-CAS2 May 97* 371-377

Montseny, G., *see* Solhusvik, J., *T-CAS2 Mar 97* 164-173

Moonen, M., *see* Vanpoucke, F.J., *T-CAS2 Mar 97* 253-256

Moon Un-Ku, *see* Un-Ku Moon, *T-CAS2 Feb 97* 102-109

Mouzouris, G.C., *see* Mendel, J.M., *T-CAS2 Nov 97* 885-895

Muneyasu, M., *see* Hinamoto, T., *T-CAS2 Aug 97* 667-670

Musoll, E., *see* Lang, T., *T-CAS2 Jun 97* 507-516

Myers, T., and M.E. Magana. An adaptive implementation of the "one-shot" decorrelating detector for CDMA communications; *T-CAS2 Sep 97* 762-765

N

Nakachi, T., K. Yamashita, and N. Hamada. Asymmetric half-plane lattice modeling based on 2-D Levinson algorithm; *T-CAS2 Oct 97* 865-868

Nordebo, S., and I. Claesson. Minimum norm design of two-dimensional weighted Chebyshev FIR filters; *T-CAS2 Mar 97* 251-253

O

Ogunbona, P.O., *see* Andrew, J.P., *T-CAS2 Mar 97* 260-262

Oh Seho, *see* Arabshahi, P., *T-CAS2 Sep 97* 696-709

Oklobdzija, V.G., D. Maksimovic, and Fengcheng Lin. Pass-transistor adiabatic logic using single power-clock supply; *T-CAS2 Oct 97* 842-846

Oklobdzija, V.G., and B. Duchene. Synthesis of high-speed pass-transistor logic; *T-CAS2 Nov 97* 974-976

Oleyaie, O., *see* Lahiji, G.R., *T-CAS2 May 97* 412-417

Opris, I.E., and L.D. Lewicki. Bias optimization for switched capacitor amplifiers; *T-CAS2 Dec 97* 985-989

Owens, R.M., *see* Chen-Mie Wu, *T-CAS2 Sep 97* 783-785

P

Paliouras, V., *see* Soudris, D.J., *T-CAS2 Apr 97* 315-318

Parhi, K.K., *see* Denk, T.C., *T-CAS2 Feb 97* 129-132

Parhi, K.K., *see* Satyanarayana, J.H., *T-CAS2 Jun 97* 473-481

Parhi, K.K., *see* Li, Y., *T-CAS2 Dec 97* 1040-1054

Park, O.C., and J.F. Doherty. Generalized projection algorithm for blind interference suppression in DS/CDMA communications; *T-CAS2 Jun 97* 453-460

Parks, T.W., *see* Campbell, W.M., *T-CAS2 Apr 97* 274-283

Passos, N.L., *see* Wang, J.Q., *T-CAS2 Sep 97* 741-753

Pei Soo-Chang, *see* Soo-Chang Pei, *T-CAS2 Feb 97* 133-136

Pei Soo-Chang, *see* Soo-Chang Pei, *T-CAS2 Sep 97* 765-768

Peters, S.D., and A. Antoniou. A self-tuning NLMS adaptive filter using parallel adaptation; *T-CAS2 Jan 97* 11-21

Petrovic, R., *see* Lipin Ai, *T-CAS2 Jun 97* 461-467

Petry, F.E., *see* Gallaher, D., *T-CAS2 Jan 97* 53-57

Pitas, I., *see* Coltuc, D., *T-CAS2 Aug 97* 660-663

Place, A.G., and G.H. Allen. Generalized pole sensitivity analysis due to parameter perturbation; *T-CAS2 Oct 97* 869-873

Po-Chiun Huang, *see* Chorng-Kuang Wang, *T-CAS2 Sep 97* 779-783

Pokala, S., *see* Shaw, A.K., *T-CAS2 Sep 97* 769-774

Porayath, R., *see* Doherty, J.F., *T-CAS2 May 97* 389-396

Prodanov, V.I., and M.M. Green. A differential active load and its applications in CMOS analog circuit designs; *T-CAS2 Apr 97* 265-273

R

Rahardja, S., *see* Falkowski, B.J., *T-CAS2 Aug 97* 646-655

Ramachandran, V., *see* Safiri, H., *T-CAS2 May 97* 409-412

Ramamoorthy, S., *see* Heath, J.R., *T-CAS2 Jan 97* 22-40

Rangarao, K.V., *see* Soderstrand, M.A., *T-CAS2 Mar 97* 217-225

Raut, R. Corrections to "Wideband CMOS transconductor for analog VLSI systems" [Nov 96 775-776]; *T-CAS2 Apr 97* 338

Razavi, B. Design considerations for direct-conversion receivers; *T-CAS2 Jun 97* 428-435

Reif, K., Fa-Long Luo, and R. Unbehauen. The exponential stability of the invariant-norm PCA algorithm; *T-CAS2 Oct 97* 873-876

Reljin, B.D., *see* Bakic, P.R., *T-CAS2 Jan 97* 50-53

Rezzi, F., *see* Baschirotto, A., *T-CAS2 May 97* 404-406

Roh Gyoung-Tae, *see* Gyoung-Tae Roh, *T-CAS2 Sep 97* 729-740

Romano, J.M.T., *see* Coradine, L.C., *T-CAS2 Sep 97* 757-762

Roy, K., *see* Sankarayya, N., *T-CAS2 Jun 97* 488-497

Roza, E. Analog-to-digital conversion via duty-cycle modulation; *T-CAS2 Nov 97* 907-914

Roza, E. Poly-phase sigma-delta modulation; *T-CAS2 Nov 97* 915-923

Rueda, A., *see* Yufera, A., *T-CAS2 Dec 97* 1058-1067

Rupp, M. Saving complexity of modified filtered-X-LMS and delayed update LMS algorithms; *T-CAS2 Jan 97* 57-60

S

Saaid, O., *see* Fabre, A., *T-CAS2 Jun 97* 436-446
Safiri, H., M. Ahmadi, and V. Ramachandran. Design of stable, causal 2-D digital filters using real coefficient 2-D all-pass building blocks; *T-CAS2 May 97* 409-412
Saha, B., *see* Bourbakis, N., *T-CAS2 Apr 97* 284-298
Sanchez-Sinencio, E., *see* Fan You, *T-CAS2 Aug 97* 678-683
Sankar, P.V., *see* Harashima, M., *T-CAS2 May 97* 421-424
Sankarayya, N., K. Roy, and D. Bhattacharya. Algorithms for low power and high speed FIR filter realization using differential coefficients; *T-CAS2 Jun 97* 488-497
Satyanarayana, J.H., and K.K. Parhi. A theoretical approach to estimation of bounds on power consumption in digital multipliers; *T-CAS2 Jun 97* 473-481
Schaumann, R., *see* Szczepanski, S., *T-CAS2 Mar 97* 174-187
Schnaufer, B.A., and W.K. Jenkins. Adaptive fault tolerance for reliable LMS adaptive filtering; *T-CAS2 Dec 97* 1001-1014
Sedra, A.S., *see* Duncan, R., *T-CAS2 May 97* 341-347
Seho Oh, *see* Arabshahi, P., *T-CAS2 Sep 97* 696-709
Sei-Yeu Cheng, and J.B. Evans. Implementation of signal power estimation methods; *T-CAS2 Mar 97* 240-250
Selesnick, I.W., and C.S. Burrus. Exchange algorithms that complement the Parks-McClellan algorithm for linear-phase FIR filter design; *T-CAS2 Feb 97* 137-143
Sethares, W.A., *see* Sharma, R., *T-CAS2 Oct 97* 798-807
Seung Joo Maeng, Il-Taek Lim, and Byeong Gi Lee. LBR realization of MIMO systems using rotation blocks; *T-CAS2 Apr 97* 310-315
Shanbhag, N.R. A mathematical basis for power-reduction in digital VLSI systems; *T-CAS2 Nov 97* 935-951
Sharma, R., I.A. Bucklew, and W.A. Sethares. Stochastic analysis of the ΣΔ modulator and differential pulse code modulator; *T-CAS2 Oct 97* 798-807
Shaw, A.K., and S. Pokala. A structured matrix approach for spatial-domain approximation of 2-D IIR filters; *T-CAS2 Sep 97* 769-774
Sheng-Tsai Chen, *see* Tan, A.C., *T-CAS2 May 97* 358-370
Shin Jae Hwi, *see* Jae Hwi Shin, *T-CAS2 Mar 97* 226-239
Shiping He, T.K.Y. Lo, and J. Litva. A spread spectrum system with a time domain processing device; *T-CAS2 Jun 97* 447-452
Shoaei, O., and W.M. Snelgrove. Design and implementation of a tunable 40 - MHz-70 MHz Gm-C bandpass ΔΣ modulator; *T-CAS2 Jul 97* 521-530
Shuenn-Yuh Lee, *see* Tai-Haur Kuo, *T-CAS2 Apr 97* 299-309
Shu Huang, *see* Huang Shu, *T-CAS2 Feb 97* 120-128
Shyue-Win Wei VLSI architectures for computing exponentiations, multiplicative inverses, and divisions in GF(2^m); *T-CAS2 Oct 97* 847-855
Smith, L.M., *see* Bomar, B.W., *T-CAS2 Nov 97* 952-955
Smith, M.R., and Yan Hui. A data extrapolation algorithm using a complex domain neural network; *T-CAS2 Feb 97* 143-147
Snelgrove, W.M., *see* Shoaei, O., *T-CAS2 Jul 97* 521-530
Soderstrand, M.A., T.G. Johnson, R.H. Strandberg, H.H. Loomis, Jr., and K.V. Rangarao. Suppression of multiple narrow-band interference using real-time adaptive notch filters; *T-CAS2 Mar 97* 217-225
Solhusvik, J., F. Lavernhe, G. Montseny, and J.A. Farre. A new low-noise CCD signal acquisition method based on a commutable band-pass filter; *T-CAS2 Mar 97* 164-173
Soliman, A.M. Generation of current conveyor-based all-pass filters from op amp-based circuits; *T-CAS2 Apr 97* 324-330
Solve, C., *see* Fertner, A., *T-CAS2 Nov 97* 962-966
Song Bang-Sup, *see* Un-Ku Moon, *T-CAS2 Feb 97* 102-109
Song Bong-Gee, *see* Arabshahi, P., *T-CAS2 Sep 97* 696-709
Soo-Chang Pei, and Chien-Cheng Tseng. IIR multiple notch filter design based on allpass filter; *T-CAS2 Feb 97* 133-136
Soo-Chang Pei, Wu-Sheng Lu, and Chien-Cheng Tseng. Analytical two-dimensional IIR notch filter design using outer product expansion; *T-CAS2 Sep 97* 765-768
Soudris, D.J., V. Paliouras, T. Stouraitis, and C.E. Goutis. A VLSI design methodology for RNS full adder-based inner product architectures; *T-CAS2 Apr 97* 315-318
Spina, R., and S. Upadhyaya. Linear circuit fault diagnosis using neuromorphic analyzers; *T-CAS2 Mar 97* 188-196
Srinivasan, P., *see* Gallaher, D., *T-CAS2 Jan 97* 53-57
Stankovic, L., *see* Stankovic, S., *T-CAS2 Jul 97* 600-604
Stankovic, S., and L. Stankovic. An architecture for the realization of a system for time-frequency signal analysis; *T-CAS2 Jul 97* 600-604
Steffensen, N., *see* Bourbakis, N., *T-CAS2 Apr 97* 284-298
Steiner, P., and W. Yang. A framework for analysis of high-order sigma-delta modulators; *T-CAS2 Jan 97* 1-10
Stouraitis, T., *see* Soudris, D.J., *T-CAS2 Apr 97* 315-318
Strandberg, R.H., *see* Soderstrand, M.A., *T-CAS2 Mar 97* 217-225
Stroud, C.E., *see* Heath, J.R., *T-CAS2 Jan 97* 22-40
Stubberud, P.A. A computationally efficient technique for designing frequency sampling filters; *T-CAS2 Jan 97* 45-50
Svelto, F., *see* Baschirotto, A., *T-CAS2 May 97* 404-406
Swamy, M.N.S., *see* Zhu, W.-P., *T-CAS2 Dec 97* 1032-1039
Szczepanski, S., J. Jakusz, and R. Schaumann. A linear fully balanced CMOS OTA for VHF filtering applications; *T-CAS2 Mar 97* 174-187

T

Tai-Haur Kuo, Shuenn-Yuh Lee, and Kuan-Dar Chen. Offset current cancellation based on a multiple-path feedback compensation (MPFC) technique for switched-current circuits and systems; *T-CAS2 Apr 97* 299-309
Tan, A.C., Sheng-Tsai Chen, and S. Basu. Image filtering using hyperstable adaptive algorithms; *T-CAS2 May 97* 358-370
Temes, G.C., *see* Yunteng Huang, *T-CAS2 Jul 97* 593-597
Theogarajan, L., and L.A. Akers. A scalable low voltage analog Gaussian radial basis circuit; *T-CAS2 Nov 97* 977-979
Thiripuraneni, J., *see* DeBrunner, V., *T-CAS2 Aug 97* 663-667
Tian-Bo Deng Design of recursive 1-D variable filters with guaranteed stability; *T-CAS2 Sep 97* 689-695
Titlebaum, E.L., *see* Hahm, M.D., *T-CAS2 Jun 97* 498-506
Tongwen Chen, *see* Huang Shu, *T-CAS2 Feb 97* 120-128
Tongwen Chen, *see* Mirabbasi, S., *T-CAS2 Jul 97* 597-600
Tsai Chimin, *see* Chimin Tsai, *T-CAS2 Sep 97* 774-779
Tseng Chien-Cheng, *see* Soo-Chang Pei, *T-CAS2 Feb 97* 133-136
Tseng Chien-Cheng, *see* Soo-Chang Pei, *T-CAS2 Sep 97* 765-768
Tsividis, Y. Externally linear, time-invariant systems and their application to companding signal processors; *T-CAS2 Feb 97* 65-85
Tuqan, J., and P.P. Vaidyanathan. Statistically optimum pre- and postfiltering in quantization; *T-CAS2 Dec 97* 1015-1031

U

Unbehauen, R., *see* Reif, K., *T-CAS2 Oct 97* 873-876
Un-Ku Moon, and Bang-Sup Song. Background digital calibration techniques for pipelined ADCs; *T-CAS2 Feb 97* 102-109
Upadhyaya, S., *see* Spina, R., *T-CAS2 Mar 97* 188-196

V

Vaidyanathan, P.P., *see* Tuqan, J., *T-CAS2 Dec 97* 1015-1031
Vainio, O., *see* Akopian, D.A., *T-CAS2 Mar 97* 197-208
Vanpoucke, F.J., M. Moonen, and E.F. Deprettere. Factored orthogonal transformations for recursive eigendecomposition; *T-CAS2 Mar 97* 253-256
Varkonyi-Koczy, A.R. Efficient polyphase DFT filter banks with fading memory; *T-CAS2 Aug 97* 670-673
Vinnakota, B., *see* Harjani, R., *T-CAS2 Mar 97* 154-163
Vishwanath, M., *see* Chen-Mie Wu, *T-CAS2 Sep 97* 783-785
Viswanathan, T.R., *see* Grochowski, A., *T-CAS2 Aug 97* 610-633
Vujovic, N.S., *see* Bakic, P.R., *T-CAS2 Jan 97* 50-53

W

Wan, K.F., and P.C. Ching. Multilevel split-path adaptive filtering and its unification with discrete Walsh transform adaptation; *T-CAS2 Feb 97* 147-151
Wang, J.Q., E. Hsing-Mean Sha, and N.L. Passos. Minimization of memory access overhead for multidimensional DSP applications via multilevel partitioning and scheduling; *T-CAS2 Sep 97* 741-753
Wang, T., and Chin-Liang Wang. A new block adaptive filtering algorithm for decision-feedback equalization of multipath fading channels; *T-CAS2 Oct 97* 877-881
Wang Chin-Liang, *see* Wang, T., *T-CAS2 Oct 97* 877-881
Wang Chin-Liang, *see* Yu-Tai Chang, *T-CAS2 Nov 97* 959-962
Wang Chorng-Kuang, *see* Chorng-Kuang Wang, *T-CAS2 Sep 97* 779-783
Wei Lou, *see* DeBrunner, V., *T-CAS2 Aug 97* 663-667
Wei Shyue-Win, *see* Shyue-Win Wei, *T-CAS2 Oct 97* 847-855
Wiest, F., *see* Fabre, A., *T-CAS2 Jun 97* 436-446
Williamson, G.A. Implementations of adaptive IIR filters with lowest complexity; *T-CAS2 Aug 97* 673-678
Willsky, A.S., *see* Daniel, M.M., *T-CAS2 Jul 97* 549-563
Willson, A.N., Jr., *see* Zhongnong Jiang, *T-CAS2 Feb 97* 110-119
Wu Chen-Mie, *see* Chen-Mie Wu, *T-CAS2 Sep 97* 783-785
Wu-Sheng Lu, *see* Soo-Chang Pei, *T-CAS2 Sep 97* 765-768

X

Xiao Chengshan, *see* Chengshan Xiao, *T-CAS2 Nov 97* 979-982

Xiheng Hu Further simplification to 2-D filter stability test; *T-CAS2 Apr 97* 330-332
Xi Jiangtao, *see* Jiangtao Xi, *T-CAS2 Jan 97* 41-45
Xi Jingtao, *see* Jingtao Xi, *T-CAS2 Mar 97* 257-260

Y

Yagle, A.E., *see* Frolik, J.L., *T-CAS2 Sep 97* 710-722
Yamashita, K., *see* Nakachi, T., *T-CAS2 Oct 97* 865-868
Yang, W., *see* Steiner, P., *T-CAS2 Jan 97* 1-10
Yan Hui, *see* Smith, M.R., *T-CAS2 Feb 97* 143-147
Yeh Hen-Geul, *see* Hen-Geul Yeh, *T-CAS2 Apr 97* 332-336
Ying-Luan Han, *see* Chaur-Heh Hsieh, *T-CAS2 May 97* 348-357
Yong Hoon Lee, *see* Gyoung-Tae Roh, *T-CAS2 Sep 97* 729-740
You Fan, *see* Fan You, *T-CAS2 Aug 97* 678-683
Yue-Dar Jou, *see* Chaur-Heh Hsieh, *T-CAS2 May 97* 348-357
Yufera, A., and A. Rueda. Studying the effects of mismatching and clock-feedthrough in switched-current filters using behavioral simulation; *T-CAS2 Dec 97* 1058-1067
Yunteng Huang, P. Ferguson, and G.C. Temes. Reduced nonlinear distortion in circuits with correlated double sampling; *T-CAS2 Jul 97* 593-597
Yu-Tai Chang, and Chin-Liang Wang. A new fast DCT algorithm and its systolic VLSI implementation; *T-CAS2 Nov 97* 959-962

Z

Zhongnong Jiang, and A.N. Willson, Jr. Efficient digital filtering architectures using pipelining/interleaving; *T-CAS2 Feb 97* 110-119
Zhu, W.-P., M.O. Ahmad, and M.N.S. Swamy. Closed-form solution to the least-square design problem of 2-D linear-phase FIR filters; *T-CAS2 Dec 97* 1032-1039
Zou, L.-H., and J. Lu. Linear associative memories with optimal rejection to colored input noise; *T-CAS2 Dec 97* 990-1000

SUBJECT INDEX

A

Absorbing media; cf. Electromagnetic scattering by absorbing media
Acoustic correlators; cf. Surface acoustic wave correlators
Active circuits; cf. Active filters; Current conveyors; Switched capacitor circuits
Active filters
D sig. acquisition, commutable band-pass filter. *Solhusvik, J., + , T-CAS2 Mar 97* 164-173
fixed gain amp. HF integrable bandpass filter config. *Comer, D.T., + , T-CAS2 Oct 97* 856-861
low power current-mode second-order bandpass IF filter. *Fabre, A., + , T-CAS2 Jun 97* 436-446
Q-enhanced act.-RLC bandpass filter, lossy integrated inductors. *Duncan, R., + , T-CAS2 May 97* 341-347
Adaptive control
high-speed data commun. systs., adaptive gain control. *Fertner, A., + , T-CAS2 Nov 97* 962-966
Adaptive equalizers
anchored blind equalization, const. modulus algm. *Kamel, R.E., + , T-CAS2 May 97* 397-403
asynchronous DS-CDMA in Rayleigh fading, adaptive multiuser detector. *Dutta, A.K., + , T-CAS2 Jun 97* 468-472
Adaptive estimation
min-max fuzzy inference and estim., pointer adaptation and pruning. *Arabshahi, P., + , T-CAS2 Sep 97* 696-709
Adaptive filters
2D adaptive state-space filters based on Fornasini-Marchesini second model. *Hinamoto, T., + , T-CAS2 Aug 97* 667-670
adaptive fault tolerance for reliable LMS adaptive filtering. *Schnaufer, B.A., + , T-CAS2 Dec 97* 1001-1014
block adaptive filtering algm., decision-feedback equalization of multipath fading channels. *Wang, T., + , T-CAS2 Oct 97* 877-881
differential act. load and appls. in CMOS analog cct. designs. *Prodanov, V.I., + , T-CAS2 Apr 97* 265-273
DS/CDMA commun., blind interf. suppression algm. *Park, O.C., + , T-CAS2 Jun 97* 453-460
FIR filtering in cascade form, fast multichannel RLS algm. *Coradine, L.C., + , T-CAS2 Sep 97* 757-762
forward-backward LMS adaptive filters, efficient implement. *Hen-Geul Yeh, T-CAS2 Apr 97* 332-336
freq.-domain echo canceller, phase adjustment. *Fertner, A., T-CAS2 Oct 97* 835-841
hyperstable adaptive recursive filters for image filtering. *Tan, A.C., + , T-CAS2 May 97* 358-370
IIR filters, min. complexity, sensitivity generation. *Williamson, G.A., T-CAS2 Aug 97* 673-678
multilevel split-path adaptive filtering and DWT adaptation. *Wan, K.F., + , T-CAS2 Feb 97* 147-151
multiple narrow-band interf. suppress., adaptive notch filters. *Soderstrand, M.A., + , T-CAS2 Mar 97* 217-225
partial updates for adaptive filters. *Douglas, S.C., T-CAS2 Mar 97* 209-216
quasi-Newton adaptive filtering algm. *De Campos, M.L.R., + , T-CAS2 Nov 97* 924-934
robust echo canceler for acoustic environ., teleconference/speaker systs. *Doherty, J.F., + , T-CAS2 May 97* 389-396
self-tuning NLMS adaptive filter, parallel adaptation. *Peters, S.D., + , T-CAS2 Jan 97* 11-21
STAR recursive least square adaptive filters. *Li, Y., + , T-CAS2 Dec 97* 1040-1054
stochastic anal. of ΣΔ/differential pulse code modulators. *Sharma, R., + , T-CAS2 Oct 97* 798-807
Adaptive signal detection
asynchronous DS-CDMA in Rayleigh fading, adaptive multiuser detector. *Dutta, A.K., + , T-CAS2 Jun 97* 468-472
one-shot decorrelating detector for CDMA commun., adaptive implement. *Myers, T., + , T-CAS2 Sep 97* 762-765
Adaptive signal processing
block adaptive filtering algm., decision-feedback equalization of multipath fading channels. *Wang, T., + , T-CAS2 Oct 97* 877-881
invariant-norm principal component anal. algm., exponential stabil. *Reif, K., + , T-CAS2 Oct 97* 873-876
recursive eigendecomposition, factored orthogonal transforms. *Vanpoucke, F.J., + , T-CAS2 Mar 97* 253-256
sig. power estim. methods, implements. *Sei-Yeu Cheng, + , T-CAS2 Mar 97* 240-250
Adaptive signal processing; cf. Adaptive filters
Adaptive systems
min-max fuzzy inference and estim., pointer adaptation and pruning. *Arabshahi, P., + , T-CAS2 Sep 97* 696-709
Adaptive systems; cf. Adaptive control
Adders
RNS full adder-based inner product archits., VLSI design methodology. *Soudris, D.J., + , T-CAS2 Apr 97* 315-318
Algebra; cf. Group theory; Polynomials
Algorithms
DS/CDMA commun., blind interf. suppression algm. *Park, O.C., + , T-CAS2 Jun 97* 453-460
fast DCT algm. and systolic VLSI implement. *Yu-Tai Chang, + , T-CAS2 Nov 97* 959-962
filtered-X-LMS and delayed update LMS algms. *Rupp, M., T-CAS2 Jan 97* 57-60
FIR filter, low power high speed, differential coeffs. *Sankarayya, N., + , T-CAS2 Jun 97* 488-497
quasi-Newton adaptive filtering algm. *De Campos, M.L.R., + , T-CAS2 Nov 97* 924-934
Algorithms; cf. Genetic algorithms; Parallel algorithms
All pass circuits
causal 2D digital filters, real coeff. 2D all-pass building blocks. *Safiri, H., + , T-CAS2 May 97* 409-412
fixed gain amp. HF integrable bandpass filter config. *Comer, D.T., + , T-CAS2 Oct 97* 856-861
II-based all-pass filters from op amp-based ccts. *Soliman, A.M., T-CAS2 Apr 97* 324-330
IIR multiple notch filter design based on allpass filter. *Soo-Chang Pei, + , T-CAS2 Feb 97* 133-136
Amplifier distortion
SC ccts. using correl. double sampling, nonlin. distort. reduct. *Yunteng Huang, + , T-CAS2 Jul 97* 593-597
Amplifiers; cf. Bipolar transistor amplifiers; Differential amplifiers; Feedback amplifiers; MOSFET amplifiers; Switching amplifiers; UHF power bipolar transistor amplifiers; Tunable amplifiers
Analog circuits
filter synthesis, num. tech. *Geffe, P.R., T-CAS2 Apr 97* 336-338
lin. cct. fault diagnosis, neuromorphic analyzers. *Spina, R., + , T-CAS2 Mar 97* 188-196
Analog circuits; cf. Analog integrated circuits; Analog processing circuits
Analog-digital conversion
analog cct. observer blocks, DFT tech. for mixed-sig. ICs. *Harjani, R., + , T-CAS2 Mar 97* 154-163
duty-cycle modulation. *Roza, E., T-CAS2 Nov 97* 907-914
pipelined ADCs, background digital calib. techs. *Un-Ku Moon, + , T-CAS2 Feb 97* 102-109

Analog-digital conversion; cf. Sigma-delta modulation
Analog integrated circuits
DFT tech., analog cct. observer blocks. *Harjani, R.*, + , *T-CAS2 Mar 97* 154-163
Analog integrated circuits; cf. Mixed analog-digital integrated circuits
Analog multipliers
differential act. load and appls. in CMOS analog cct. designs. *Prodanov, V.I.*, + , *T-CAS2 Apr 97* 265-273
Analog processing circuits
CMOS analog cct. designs, differential act. load appls. *Prodanov, V.I.*, + , *T-CAS2 Apr 97* 265-273
externally LTI systs., companding sig. proc. appl. *Tsividis, Y., T-CAS2 Feb 97* 65-85
Gaussian radial basis cct., scalable LV implement. *Theogarajan, L.*, + , *T-CAS2 Nov 97* 977-979
pulse-based analog CMOS VLSI vel. sens. *Krammer, J.*, + , *T-CAS2 Feb 97* 86-101
switched-current ccts., offset current cancellation. *Tai-Haur Kuo*, + , *T-CAS2 Apr 97* 299-309
Antialiasing
diamond-shaped min. lin. phase 2D FIR low-pass filter design. *Lim, Y.C.*, + , *T-CAS2 Nov 97* 966-970
Approximation methods
2D noncausal IIR filters. *Daniel, M.M.*, + , *T-CAS2 Jul 97* 549-563
order reduction of 2D FIR filters with appls. *Lu, W.-S., T-CAS2 Dec 97* 1055-1058
Approximation methods; cf. Extrapolation; Interpolation; Least squares methods; Minimax methods; Polynomial approximation; Stochastic approximation
Arithmetic; cf. Digital arithmetic; Division; Exponentiation
Arrays
auditory, extraction, continuous-time discrete-sig. proc. IC. *Kumar, N.*, + , *T-CAS2 Sep 97* 723-728
Arrays; cf. Logic arrays
Array signal processing
asymmetric half-plane lattice modeling based on 2-D Levinson algm. *Nakachi, T.*, + , *T-CAS2 Oct 97* 865-868
RNS full adder-based inner product archits., VLSI design methodology. *Soudris, D.J.*, + , *T-CAS2 Apr 97* 315-318
Associative memories
lin. associative memories with optimal rejection to colored input noise. *Zou, L.-H.*, + , *T-CAS2 Dec 97* 990-1000
Asymptotic stability
2D digital recursive filters, stabil. tests, rounding errors. *Barret, M.*, + , *T-CAS2 Apr 97* 319-323
invariant-norm principal component anal. algm., exponential stabil. *Reif, K.*, + , *T-CAS2 Oct 97* 873-876
Asynchronous logic circuits
ADC, duty-cycle modulation. *Roza, E., T-CAS2 Nov 97* 907-914
Auditory system
auditory, extraction, continuous-time discrete-sig. proc. IC. *Kumar, N.*, + , *T-CAS2 Sep 97* 723-728
Automatic test equipment
IC testing for QA in mfg., review. *Grochowski, A.*, + , *T-CAS2 Aug 97* 610-633
Automatic testing
IC testing for QA in mfg., review. *Grochowski, A.*, + , *T-CAS2 Aug 97* 610-633
lin. cct. fault diagnosis, neuromorphic analyzers. *Spina, R.*, + , *T-CAS2 Mar 97* 188-196
Automation; cf. Automatic testing; Design automation
Autoregressive moving average processes
anchored blind equalization, const. modulus algm. *Kamel, R.E.*, + , *T-CAS2 May 97* 397-403
stochastic anal. of ΣΔ/differential pulse code modulators. *Sharma, R.*, + , *T-CAS2 Oct 97* 798-807
Autoregressive processes
asymmetric half-plane lattice modeling based on 2-D Levinson algm. *Nakachi, T.*, + , *T-CAS2 Oct 97* 865-868

B

Backpropagation
complex domain neural net based data extrapol. algm., MR image appl. *Smith, M.R.*, + , *T-CAS2 Feb 97* 143-147
fuzzy logic systs., design methods. *Mendel, J.M.*, + , *T-CAS2 Nov 97* 885-895
min-max fuzzy inference and estim., pointer adaptation and pruning. *Arabshahi, P.*, + , *T-CAS2 Sep 97* 696-709
Bandpass filters
BiCMOS continuous-time shaping filter, read-out electronics appl. *Baschirotto, A.*, + , *T-CAS2 May 97* 404-406
D sig. acquisition, commutable band-pass filter. *Solhusvik, J.*, + , *T-CAS2 Mar 97* 164-173
fixed gain amp. HF integrable bandpass filter config. *Comer, D.T.*, + , *T-CAS2 Oct 97* 856-861
lin.-phase FIR filter design, exchange algm. *Selesnick, I.W.*, + , *T-CAS2 Feb 97* 137-143
low power current-mode second-order bandpass IF filter. *Fabre, A.*, + , *T-CAS2 Jun 97* 436-446
Bandstop filters; cf. Notch filters
Bessel filters
group-delay optimized IF filters for narrowband PCS. *Lipin Ai*, + , *T-CAS2 Jun 97* 461-467
BiCMOS analog integrated circuits
continuous-time shaping filter, read-out electronics appl. *Baschirotto, A.*, + , *T-CAS2 May 97* 404-406
Q-enhanced act.-RLC bandpass filter, lossy integrated inductors. *Duncan, R.*, + , *T-CAS2 May 97* 341-347
Biological systems; cf. Auditory system
Biomedical image processing
complex domain neural net based data extrapol. algm., MR image appl. *Smith, M.R.*, + , *T-CAS2 Feb 97* 143-147
Biomedical magnetic resonance imaging
complex domain neural net based data extrapol. algm., MR image appl. *Smith, M.R.*, + , *T-CAS2 Feb 97* 143-147
Biomedical signal processing; cf. Biomedical image processing
Bipolar analog integrated circuits; cf. BiCMOS analog integrated circuits; Bipolar transistor amplifiers
Bipolar integrated circuits
SONET OC-3 VLSI, AGC archit. *Chorng-Kuang Wang*, + , *T-CAS2 Sep 97* 779-783
Bipolar memory integrated circuits
ECL storage elements, faulty behavior modelling. *Menon, S.M.*, + , *T-CAS2 Nov 97* 970-974
Bipolar transistor amplifiers
op amp, pos. feedback. *Lahiji, G.R.*, + , *T-CAS2 May 97* 412-417
Bipolar transistor circuits; cf. Bipolar integrated circuits
Bipolar transistors; cf. Heterojunction bipolar transistors
Biquadratic filters
BiCMOS continuous-time shaping filter, read-out electronics appl. *Baschirotto, A.*, + , *T-CAS2 May 97* 404-406
II-based all-pass filters from op amp-based ccts. *Soliman, A.M., T-CAS2 Apr 97* 324-330
multifunction biquadratic filters, current conveyors. *Chun-Ming Chang, T-CAS2 Nov 97* 956-958
Boolean functions
fast lin. independ. logic transforms., classif. and props. *Falkowski, B.J.*, + , *T-CAS2 Aug 97* 646-655
stack filters, signed binary no. represent. proc. *Akopian, D.A.*, + , *T-CAS2 Mar 97* 197-208
Built-in testing; cf. Self-testing
Butterworth filters
group-delay optimized IF filters for narrowband PCS. *Lipin Ai*, + , *T-CAS2 Jun 97* 461-467

C

Calibration
pipelined ADCs, background digital calib. techs. *Un-Ku Moon*, + , *T-CAS2 Feb 97* 102-109
Capacitance
corrections to "Wideband CMOS transconductor for analog VLSI systems" (Nov 96 775-776). *Raut, R., T-CAS2 Apr 97* 338
Cascade circuits
adaptive FIR filtering in cascade form, fast multichannel RLS algm. *Coradine, L.C.*, + , *T-CAS2 Sep 97* 757-762
adaptive IIR filters, min. complexity, sensitivity generation. *Williamson, G.A., T-CAS2 Aug 97* 673-678
causal 2D digital filters, real coeff. 2D all-pass building blocks. *Safiri, H.*, + , *T-CAS2 May 97* 409-412
group-delay optimized IF filters for narrowband PCS. *Lipin Ai*, + , *T-CAS2 Jun 97* 461-467
Cascade systems
lossless bounded real realization of MIMO systs., rot. blocks. *Seung Joo Maeng*, + , *T-CAS2 Apr 97* 310-315
Causality
causal 2D digital filters, real coeff. 2D all-pass building blocks. *Safiri, H.*, + , *T-CAS2 May 97* 409-412

Cellular neural networks
digital images, multilevel halftoning, CNN paradigm. *Bakic, P.R., + , T-CAS2 Jan 97* 50-53
Charge coupled devices
sig. acquisition, commutable band-pass filter. *Solhusvik, J., + , T-CAS2 Mar 97* 164-173
Chebyshev filters
2D weighted Chebyshev FIR filters, min. norm design. *Nordebo, S., + , T-CAS2 Mar 97* 251-253
lin.-phase FIR filter design, exchange algm. *Selesnick, I.W., + , T-CAS2 Feb 97* 137-143
Chebyshev functions
analog filter synthesis, num. tech. *Geffe, P.R., T-CAS2 Apr 97* 336-338
Circuit noise
poly-phase sigma-DM. *Roza, E., T-CAS2 Nov 97* 915-923
Circuit noise; cf. Integrated circuit noise
Circuit optimization
bias optim. for switched capacitor amps. *Opris, I.E., + , T-CAS2 Dec 97* 985-989
causal 2D digital filters, real coeff. 2D all-pass building blocks. *Safiri, H., + , T-CAS2 May 97* 409-412
partial-band time-varying systs., optimal design. *Campbell, W.M., + , T-CAS2 Apr 97* 274-283
statistically optimum pre- and postfiltering in quantization. *Tuqan, J., + , T-CAS2 Dec 97* 1015-1031
Circuit optimization; cf. Circuit tuning
Circuit reliability; cf. Integrated circuit reliability
Circuits; cf. Adders; All pass circuits; Analog circuits; Cascade circuits; Complementary circuits; Feedback circuits; Filters; Linear circuits; Logic circuits; Lossy circuits; Multiplying circuits; Nonlinear circuits; Pulse shaping circuits; Radiation detector circuits; RLC circuits; Switched circuits
Circuit simulation
asymmetric half-plane lattice modeling based on 2-D Levinson algm. *Nakachi, T., + , T-CAS2 Oct 97* 865-868
charge-pump PLL, optimum phase-acquisition tech. *Gyoung-Tae Roh, + , T-CAS2 Sep 97* 729-740
CMOS pass-transistor adiabatic logic, single power-clock supply. *Oklobdzija, V.G., + , T-CAS2 Oct 97* 842-846
effects of mismatching and clock-feedthrough in switched-current filters using behavioral simul. *Yufera, A., + , T-CAS2 Dec 97* 1058-1067
hysteresis phenom., SPICE macromodeling, nonlin. mag. cores. *Brachtendorf, H.G., + , T-CAS2 May 97* 378-388
ll-based all-pass filters from op amp-based ccts. *Soliman, A.M., T-CAS2 Apr 97* 324-330
Circuit stability
2D digital recursive filters, stabil. tests, rounding errors. *Barret, M., + , T-CAS2 Apr 97* 319-323
2D filter, charact. polynomial stabil. test simplification. *Xiheng Hu, T-CAS2 Apr 97* 330-332
causal 2D digital filters, real coeff. 2D all-pass building blocks. *Safiri, H., + , T-CAS2 May 97* 409-412
high-order sigma-delta modulators, anal. framework. *Steiner, P., + , T-CAS2 Jan 97* 1-10
recursive 1D variable filters with guaranteed stabil., design. *Tian-Bo Deng, T-CAS2 Sep 97* 689-695
switched-current ccts., offset current cancellation. *Tai-Haur Kuo, + , T-CAS2 Apr 97* 299-309
Circuit testing
2D digital recursive filters, stabil. tests, rounding errors. *Barret, M., + , T-CAS2 Apr 97* 319-323
2D filter, charact. polynomial stabil. test simplification. *Xiheng Hu, T-CAS2 Apr 97* 330-332
lin. cct. fault diagnosis, neuromorphic analyzers. *Spina, R., + , T-CAS2 Mar 97* 188-196
Circuit testing; cf. Integrated circuit testing
Circuit topology
sigma-delta modulator topologies, single-stage/multistage archits. *Fischer, G., + , T-CAS2 Oct 97* 789-797
Circuit tuning
sigma-delta modulator, tunable Gm-C bandpass device. *Shoaei, O., + , T-CAS2 Jul 97* 521-530
Clocks
dual-loop DPLL gear-shifting algm. for fast sync. *Beomsup Kim, T-CAS2 Jul 97* 577-586
CMOS analog integrated circuits
analog Gaussian radial basis cct., scalable LV implement. *Theogarajan, L., + , T-CAS2 Nov 97* 977-979
differential act. load and appls. in CMOS analog cct. designs. *Prodanov, V.I., + , T-CAS2 Apr 97* 265-273
low power current-mode second-order bandpass IF filter. *Fabre, A., + , T-CAS2 Jun 97* 436-446
low power prog. matched filters for portable wireless terminals, comparison. *Hahm, M.D., + , T-CAS2 Jun 97* 498-506
OTA, lin. fully bal. amp., VHF filtering. *Szczepanski, S., + , T-CAS2 Mar 97* 174-187
pulse-based analog CMOS VLSI vel. sens. *Krammer, J., + , T-CAS2 Feb 97* 86-101
switched-current ccts., offset current cancellation. *Tai-Haur Kuo, + , T-CAS2 Apr 97* 299-309
CMOS analog integrated circuits; cf. BiCMOS analog integrated circuits
CMOS digital integrated circuits
low power prog. matched filters for portable wireless terminals, comparison. *Hahm, M.D., + , T-CAS2 Jun 97* 498-506
sig. power estim. methods, implements. *Sei-Yeu Cheng, + , T-CAS2 Mar 97* 240-250
CMOSFET circuits; cf. CMOS integrated circuits
CMOSFET logic devices
high-speed CMOS pass-transistor logic, synthesis. *Oklobdzija, V.G., + , T-CAS2 Nov 97* 974-976
hybrid radix-4/madix-8 low power signed multiplier archit. *Cherkauer, B.S., + , T-CAS2 Aug 97* 656-659
low power datapaths, flip-flops, gated clocks. *Lang, T., + , T-CAS2 Jun 97* 507-516
pass-transistor adiabatic logic, single power-clock supply. *Oklobdzija, V.G., + , T-CAS2 Oct 97* 842-846
power-reduction in digital VLSI systs., math. basis. *Shanbhag, N.R., T-CAS2 Nov 97* 935-951
CMOS integrated circuits
auditory, extraction, continuous-time discrete-sig. proc. IC. *Kumar, N., + , T-CAS2 Sep 97* 723-728
corrections to "Wideband CMOS transconductor for analog VLSI systems" (Nov 96 775-776). *Raut, R., T-CAS2 Apr 97* 338
SONET OC-3 VLSI, AGC archit. *Chorng-Kuang Wang, + , T-CAS2 Sep 97* 779-783
CMOS integrated circuits; cf. CMOS analog integrated circuits; CMOS digital integrated circuits
Code division multiaccess
asynchronous DS-CDMA in Rayleigh fading, adaptive multiuser detector. *Dutta, A.K., + , T-CAS2 Jun 97* 468-472
DS/CDMA commun., blind interf. suppression algm. *Park, O.C., + , T-CAS2 Jun 97* 453-460
one-shot decorrelating detector for CDMA commun., adaptive implement. *Myers, T., + , T-CAS2 Sep 97* 762-765
Combinatorial mathematics; cf. Permutations
Communication channels; cf. Fading channels; Gaussian channels; Multipath channels; Multiuser channels
Communication equipment; cf. Optical communication equipment; Radio communication equipment
Communication systems; cf. Data communication; Digital communication; Optical fiber communication; Radio communication; SONETs; Teleconferencing
Commutated circuits
D sig. acquisition, commutable band-pass filter. *Solhusvik, J., + , T-CAS2 Mar 97* 164-173
Companding
externally LTI systs., companding sig. proc. appl. *Tsividis, Y., T-CAS2 Feb 97* 65-85
Compensation
freq.-domain echo canceller, phase adjustment. *Fertner, A., T-CAS2 Oct 97* 835-841
low power current-mode second-order bandpass IF filter. *Fabre, A., + , T-CAS2 Jun 97* 436-446
SC ccts. using correl. double sampling, nonlin. distort. reduct. *Yunteng Huang, + , T-CAS2 Jul 97* 593-597
Compensation; cf. Error compensation
Complementary circuits
LV op amps, complementary N-P input pairs, CMRR. *Fan You, + , T-CAS2 Aug 97* 678-683
Complementary circuits; cf. CMOS integrated circuits
Complexity theory
2D FIR digital filter design, weighted least sq. method. *Chaur-Heh Hsieh, + , T-CAS2 May 97* 348-357
adaptive IIR filters, min. complexity, sensitivity generation. *Williamson, G.A., T-CAS2 Aug 97* 673-678
fast running max-min filters, algm. and implement. *Coltuc, D., + , T-CAS2 Aug 97* 660-663
filtered-X-LMS and delayed update LMS algms. *Rupp, M., T-CAS2 Jan 97* 57-60
hyperstable adaptive recursive filters for image filtering. *Tan, A.C., + , T-CAS2 May 97* 358-370
IIR algm. based on overlap-save approach. *Chen-Mie Wu, + , T-CAS2 Sep 97* 783-785

nonorthogonal basis image, representation, recursive parallel mixed transform. *Berg, A.P., + , T-CAS2 Oct 97* 818-828
polyphase DFT filter banks with fading memory, recursive FT. *Varkonyi-Koczy, A.R., T-CAS2 Aug 97* 670-673
stack filters, signed binary no. represent. proc. *Akopian, D.A., + , T-CAS2 Mar 97* 197-208

Computer applications; cf. Design automation; Neural network applications
Computer architecture; cf. Parallel architectures
Computer graphics; cf. Antialiasing
Continuous time filters
BiCMOS continuous-time shaping filter, read-out electronics appl. *Baschirotto, A., + , T-CAS2 May 97* 404-406
CMOS OTA, lin. fully bal. amp., VHF filtering. *Szczepanski, S., + , T-CAS2 Mar 97* 174-187
corrections to "Wideband CMOS transconductor for analog VLSI systems" (Nov 96 775-776). *Raut, R., T-CAS2 Apr 97* 338
differential act. load and appls. in CMOS analog cct. designs. *Prodanov, V.I., + , T-CAS2 Apr 97* 265-273

Continuous time systems
auditory, extraction, continuous-time discrete-sig. proc. IC. *Kumar, N., + , T-CAS2 Sep 97* 723-728
parametrized s-to-z-plane mapping for continuous-time/discrete-time conversion. *Melvin, W.L., + , T-CAS2 Oct 97* 829-834
sigma-delta modulator, tunable Gm-C bandpass device. *Shoaei, O., + , T-CAS2 Jul 97* 521-530

Control systems; cf. Adaptive control; Fuzzy control; Intelligent control; Observability

Convergence of numerical methods
adaptive FIR filtering in cascade form, fast multichannel RLS algm. *Coradine, L.C., + , T-CAS2 Sep 97* 757-762
multilevel split-path adaptive filtering and DWT adaptation. *Wan, K.F., + , T-CAS2 Feb 97* 147-151
quasi-Newton adaptive filtering algm. *De Campos, M.L.R., + , T-CAS2 Nov 97* 924-934
self-tuning NLMS adaptive filter, parallel adaptation. *Peters, S.D., + , T-CAS2 Jan 97* 11-21

Convolution
FIR filter, low power high speed, differential coeffs. *Sankarayya, N., + , T-CAS2 Jun 97* 488-497
IIR algm. based on overlap-save approach. *Chen-Mie Wu, + , T-CAS2 Sep 97* 783-785

Correlation
invariant-norm principal component anal. algm., exponential stabil. *Reif, K., + , T-CAS2 Oct 97* 873-876

Correlators cf. Surface acoustic wave correlators
Cosine transforms; cf. Discrete cosine transforms
Current conveyors
II-based all-pass filters from op amp-based ccts. *Soliman, A.M., T-CAS2 Apr 97* 324-330
low power current-mode second-order bandpass IF filter. *Fabre, A., + , T-CAS2 Jun 97* 436-446
multifunction biquadratic filters, current conveyors. *Chun-Ming Chang, T-CAS2 Nov 97* 956-958

D

Data communication
high-speed data commun. systs., adaptive gain control. *Fertner, A., + , T-CAS2 Nov 97* 962-966

Data compression
DCT, step response. *Andrew, J.P., + , T-CAS2 Mar 97* 260-262
hyperstable adaptive recursive filters for image filtering. *Tan, A.C., + , T-CAS2 May 97* 358-370
nonorthogonal basis image, representation, recursive parallel mixed transform. *Berg, A.P., + , T-CAS2 Oct 97* 818-828

Data conversion; cf. Analog-digital conversion; Digital-analog conversion
Data flow computing
parallel hybrid data/command driven archit., scalable dyn. load balancing sct. *Heath, J.R., + , T-CAS2 Jan 97* 22-40

Data handling
complex domain neural net based data extrapol. algm., MR image appl. *Smith, M.R., + , T-CAS2 Feb 97* 143-147
multidimensional DSP appls., memory access overhead minimization. *Wang, J.Q., + , T-CAS2 Sep 97* 741-753

Decision feedback equalizers
anchored blind equalization, const. modulus algm. *Kamel, R.E., + , T-CAS2 May 97* 397-403
block adaptive filtering algm., decision-feedback equalization of multipath fading channels. *Wang, T., + , T-CAS2 Oct 97* 877-881

Decoding
GF(2^m) VLSI archits., exponentiations, multiplicative inverses, divisions. *Shyue-Win Wei, T-CAS2 Oct 97* 847-855
stack filters, signed binary no. represent. proc. *Akopian, D.A., + , T-CAS2 Mar 97* 197-208

Decorrelation
asynchronous DS-CDMA in Rayleigh fading, adaptive multiuser detector. *Dutta, A.K., + , T-CAS2 Jun 97* 468-472
one-shot decorrelating detector for CDMA commun., adaptive implement. *Myers, T., + , T-CAS2 Sep 97* 762-765
robust echo canceler for acoustic environ., teleconference/speaker systs. *Doherty, J.F., + , T-CAS2 May 97* 389-396

Delay effects
group-delay optimized IF filters for narrowband PCS. *Lipin Ai, + , T-CAS2 Jun 97* 461-467
one-shot decorrelating detector for CDMA commun., adaptive implement. *Myers, T., + , T-CAS2 Sep 97* 762-765

Delay filters; cf. Linear phase filters
Delta modulation; cf. Sigma-delta modulation
Design automation
analog filter synthesis, num. tech. *Geffe, P.R., T-CAS2 Apr 97* 336-338
CMOS pass-transistor adiabatic logic, single power-clock supply. *Oklobdzija, V.G., + , T-CAS2 Oct 97* 842-846
spline approx., Kalman filter state estim. *Harashima, M., + , T-CAS2 May 97* 421-424

Design automation software; cf. SPICE
Design for testability
analog cct. observer blocks, DFT tech. for analog and mixed-sig. ICs. *Harjani, R., + , T-CAS2 Mar 97* 154-163

Design methodology; cf. Design automation
Determinants
2D filter, charact. polynomial stabil. test simplification. *Xiheng Hu, T-CAS2 Apr 97* 330-332

Dielectric bodies
discrete layered lossy and absorbing media, forward and inverse scatt. *Frolik, J.L., + , T-CAS2 Sep 97* 710-722

Difference equations
2D noncausal IIR filters. *Daniel, M.M., + , T-CAS2 Jul 97* 549-563
charge-pump PLL, optimum phase-acquisition tech. *Gyoung-Tae Roh, + , T-CAS2 Sep 97* 729-740
FIR filter, low power high speed, differential coeffs. *Sankarayya, N., + , T-CAS2 Jun 97* 488-497

Differential amplifiers
analog cct. observer blocks, DFT tech. for analog ICs. *Harjani, R., + , T-CAS2 Mar 97* 154-163
CMOS OTA, lin. fully bal. amp., VHF filtering. *Szczepanski, S., + , T-CAS2 Mar 97* 174-187
LV op amps, complementary N-P input pairs, CMRR. *Fan You, + , T-CAS2 Aug 97* 678-683

Differential equations
invariant-norm principal component anal. algm., exponential stabil. *Reif, K., + , T-CAS2 Oct 97* 873-876

Differential equations; cf. Nonlinear differential equations; Partial differential equations

Differential pulse code modulation
stochastic anal. of ΣΔ/differential pulse code modulators. *Sharma, R., + , T-CAS2 Oct 97* 798-807

Digital-analog conversion
sigma-DM, optimized reduced sample rate. *Birru, D., T-CAS2 Nov 97* 896-906
spectral shaping of cct. errors in D/A converters. *Galton, I., T-CAS2 Oct 97* 808-817

Digital arithmetic
fast DCT algm. and systolic VLSI implement. *Yu-Tai Chang, + , T-CAS2 Nov 97* 959-962
GF(2^m) VLSI archits., exponentiations, multiplicative inverses, divisions. *Shyue-Win Wei, T-CAS2 Oct 97* 847-855
hybrid radix-4/madix-8 low power signed multiplier archit. *Cherkauer, B.S., + , T-CAS2 Aug 97* 656-659
multipliers, power consumption bounds estim. *Satyanarayana, J.H., + , T-CAS2 Jun 97* 473-481
recursive eigendecomposition, factored orthogonal transforms. *Vanpoucke, F.J., + , T-CAS2 Mar 97* 253-256
RNS to weighted no. syst. conversion, digit parallel method. *Gallaher, D., + , T-CAS2 Jan 97* 53-57
signed binary no. represent. proc. for stack filters. *Akopian, D.A., + , T-CAS2 Mar 97* 197-208
sig. power estim. methods, implements. *Sei-Yeu Cheng, + , T-CAS2 Mar 97* 240-250

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

Digital arithmetic; cf. Fixed point arithmetic; Floating point arithmetic; Radix conversion; Residue arithmetic
Digital circuits; cf. Digital filters; Digital integrated circuits
Digital communication
high-speed data commun. systs., adaptive gain control. *Fertner, A.*, + , *T-CAS2 Nov 97* 962-966
SONET OC-3 VLSI, AGC archit. *Chorng-Kuang Wang*, + , *T-CAS2 Sep 97* 779-783
Digital communication; cf. Digital radio
Digital filters
adaptive fault tolerance for reliable LMS adaptive filtering. *Schnaufer, B.A.*, + , *T-CAS2 Dec 97* 1001-1014
adaptive filters employing partial updates. *Douglas, S.C.*, *T-CAS2 Mar 97* 209-216
adaptive IIR filters, min. complexity, sensitivity generation. *Williamson, G.A.*, *T-CAS2 Aug 97* 673-678
fast running max-min filters, algm. and implement. *Coltuc, D.*, + , *T-CAS2 Aug 97* 660-663
fixed-point FIR digital filter design techs., comparison. *Dempster, A.G.*, + , *T-CAS2 Jul 97* 591-593
freq. sampling filter design, computationally efficient tech. *Stubberud, P.A.*, *T-CAS2 Jan 97* 45-50
group-delay optimized IF filters for narrowband PCS. *Lipin Ai*, + , *T-CAS2 Jun 97* 461-467
lin.-phase FIR filter design, exchange algm. *Selesnick, I.W.*, + , *T-CAS2 Feb 97* 137-143
lossless bounded real realization of MIMO systs., rot. blocks. *Seung Joo Maeng*, + , *T-CAS2 Apr 97* 310-315
low power prog. matched filters for portable wireless terminals, comparison. *Hahm, M.D.*, + , *T-CAS2 Jun 97* 498-506
low sensit. digital filter realizations, LBR two-pair extraction methods. *Jae Hwi Shin*, + , *T-CAS2 Mar 97* 226-239
multiple narrow-band interf. suppress., adaptive notch filters. *Soderstrand, M.A.*, + , *T-CAS2 Mar 97* 217-225
pipelining/interleaving tech. for digital filtering archits. *Zhongnong Jiang*, + , *T-CAS2 Feb 97* 110-119
stack filters, signed binary no. represent. proc. *Akopian, D.A.*, + , *T-CAS2 Mar 97* 197-208
time-interleaved oversampling ADCs, design and implement. *Khoini-Poorfard, R.*, + , *T-CAS2 Aug 97* 634-645
Digital filters; cf. FIR digital filters; IIR digital filters; Multidimensional digital filters; Quadrature mirror filters; Recursive digital filters
Digital filter wordlength effects
2D digital recursive filters, stabil. tests, rounding errors. *Barret, M.*, + , *T-CAS2 Apr 97* 319-323
parallel form digital filters, floating-point roundoff noise. *Chimin Tsai, T-CAS2 Sep 97* 774-779
STAR recursive least square adaptive filters. *Li, Y.*, + , *T-CAS2 Dec 97* 1040-1054
state-space filters, floating-point DSP implement., roundoff noise anal. *Bomar, B.W.*, + , *T-CAS2 Nov 97* 952-955
statistically optimum pre- and postfiltering in quantization. *Tuqan, J.*, + , *T-CAS2 Dec 97* 1015-1031
Digital integrated circuits
IC testing for QA in mfg., review. *Grochowski, A.*, + , *T-CAS2 Aug 97* 610-633
VLSI systs., math. basis for power reduct. *Shanbhag, N.R.*, *T-CAS2 Nov 97* 935-951
Digital integrated circuits; cf. Mixed analog-digital integrated circuits
Digital modulation
asynchronous DS-CDMA in Rayleigh fading, adaptive multiuser detector. *Dutta, A.K.*, + , *T-CAS2 Jun 97* 468-472
Digital radio
asynchronous DS-CDMA in Rayleigh fading, adaptive multiuser detector. *Dutta, A.K.*, + , *T-CAS2 Jun 97* 468-472
group-delay optimized IF filters for narrowband PCS. *Lipin Ai*, + , *T-CAS2 Jun 97* 461-467
Digital radio; cf. Spread spectrum communication
Digital signal processors
fast DCT algm. and systolic VLSI implement. *Yu-Tai Chang*, + , *T-CAS2 Nov 97* 959-962
lattice struct. based orthonormal DWTs, VLSI archits. *Denk, T.C.*, + , *T-CAS2 Feb 97* 129-132
sig. power estim. methods, implements. *Sei-Yeu Cheng*, + , *T-CAS2 Mar 97* 240-250
time-freq. sig. anal. syst., VLSI archit. *Stankovic, S.*, + , *T-CAS2 Jul 97* 600-604
Digital systems
2D separable denominator digital systs., model reduction. *Chengshan Xiao, T-CAS2 Nov 97* 979-982
Discrete cosine transforms
fast DCT algm. and systolic VLSI implement. *Yu-Tai Chang*, + , *T-CAS2 Nov 97* 959-962
step response. *Andrew, J.P.*, + , *T-CAS2 Mar 97* 260-262
Discrete Fourier transforms
adaptive fault tolerance for reliable LMS adaptive filtering. *Schnaufer, B.A.*, + , *T-CAS2 Dec 97* 1001-1014
complex domain neural net based data extrapol. algm., MR image appl. *Smith, M.R.*, + , *T-CAS2 Feb 97* 143-147
freq.-domain echo canceller, phase adjustment. *Fertner, A.*, *T-CAS2 Oct 97* 835-841
freq. sampling filter design, computationally efficient tech. *Stubberud, P.A.*, *T-CAS2 Jan 97* 45-50
polyphase DFT filter banks with fading memory, recursive FT. *Varkonyi-Koczy, A.R.*, *T-CAS2 Aug 97* 670-673
Discrete Hartley transforms
running DHTs and DWTs comp. based on adaptive LMS algm. *Jingtao Xi*, + , *T-CAS2 Mar 97* 257-260
Discrete time systems
externally LTI systs., companding sig. proc. appl. *Tsividis, Y.*, *T-CAS2 Feb 97* 65-85
hybrid multirate filter banks, min. design. *Huang Shu*, + , *T-CAS2 Feb 97* 120-128
parametrized s-to-z-plane mapping for continuous-time/discrete-time conversion. *Melvin, W.L.*, + , *T-CAS2 Oct 97* 829-834
Discrete transforms
discrete W transforms, shift props., real time discrete W analyzers. *Jiangtao Xi*, + , *T-CAS2 Jan 97* 41-45
lattice struct. based orthonormal DWTs, VLSI archits. *Denk, T.C.*, + , *T-CAS2 Feb 97* 129-132
multilevel split-path adaptive filtering and DWT adaptation. *Wan, K.F.*, + , *T-CAS2 Feb 97* 147-151
running DHTs and DWTs, comp. based on adaptive LMS algm. *Jingtao Xi*, + , *T-CAS2 Mar 97* 257-260
Discrete transforms; cf. Discrete cosine transforms; Discrete Fourier transforms; Discrete Hartley transforms
Dispersive media; cf. Electromagnetic scattering by dispersive media
Distortion; cf. Amplifier distortion; Filter distortion; Harmonic distortion
Distributed computing; cf. Processor scheduling
Dither techniques
spectral shaping of cct. errors in D/A converters. *Galton, I.*, *T-CAS2 Oct 97* 808-817
Division
GF(2^m) VLSI archits., exponentiations, multiplicative inverses, divisions. *Shyue-Win Wei, T-CAS2 Oct 97* 847-855

E

Echo suppression
freq.-domain echo canceller, phase adjustment. *Fertner, A.*, *T-CAS2 Oct 97* 835-841
robust echo canceler for acoustic environ., teleconference/speaker systs. *Doherty, J.F.*, + , *T-CAS2 May 97* 389-396
Eigenvalues and eigenfunctions
invariant-norm principal component anal. algm., exponential stabil. *Reif, K.*, + , *T-CAS2 Oct 97* 873-876
QMF, eigen design. *Andrew, L.*, + , *T-CAS2 Sep 97* 754-757
recursive eigendecomposition, factored orthogonal transforms. *Vanpoucke, F.J.*, + , *T-CAS2 Mar 97* 253-256
Electric variables; cf. Capacitance; Inductance; Q factor
Electric variables control; cf. Gain control
Electromagnetic radiative interference; cf. Land mobile radio interference
Electromagnetic scattering; cf. Radar scattering
Electromagnetic scattering by absorbing media
discrete layered lossy and absorbing media, forward and inverse scatt. *Frolik, J.L.*, + , *T-CAS2 Sep 97* 710-722
Electromagnetic scattering by dispersive media
discrete layered lossy and absorbing media, forward and inverse scatt. *Frolik, J.L.*, + , *T-CAS2 Sep 97* 710-722
Electromagnetic scattering by nonhomogeneous media
discrete layered lossy and absorbing media, forward and inverse scatt. *Frolik, J.L.*, + , *T-CAS2 Sep 97* 710-722
Electromagnetic scattering inverse problems
discrete layered lossy and absorbing media, forward and inverse scatt. *Frolik, J.L.*, + , *T-CAS2 Sep 97* 710-722
Electronics; cf. High-speed electronics
Elliptic filters
CMOS OTA, lin. fully bal. amp., VHF filtering. *Szczepanski, S.*, + , *T-CAS2 Mar 97* 174-187

Emitter coupled logic
faulty behavior modelling of ECL storage elements. *Menon, S.M., + , T-CAS2 Nov 97* 970-974
Encoding
stack filters, signed binary no. represent. proc. *Akopian, D.A., + , T-CAS2 Mar 97* 197-208
statistically optimum pre- and postfiltering in quantization. *Tuqan, J., + , T-CAS2 Dec 97* 1015-1031
Encoding; cf. Error correction coding; Image coding; Transform coding
Equalizers; cf. Adaptive equalizers; Decision feedback equalizers
Equations; cf. Difference equations; Differential equations; Integral equations
Equiripple filters
interpolated FIR struct., generalized factorizable filters. *Manduchi, R., T-CAS2 Jul 97* 564-576
Equiripple filters; cf. Chebyshev filters; Elliptic filters
Error analysis
2D separable denominator digital systs., model reduction. *Chengshan Xiao, T-CAS2 Nov 97* 979-982
group-delay optimized IF filters for narrowband PCS. *Lipin Ai, + , T-CAS2 Jun 97* 461-467
partial-band time-varying syste., optimal design. *Campbell, W.M., + , T-CAS2 Apr 97* 274-283
SS syst., time domain proc. device. *Shiping He, + , T-CAS2 Jun 97* 447-452
Error compensation
switched-current ccts., offset current cancellation. *Tai-Haur Kuo, + , T-CAS2 Apr 97* 299-309
Error correction coding
GF(2^m) VLSI archits., exponentiations, multiplicative inverses, divisions. *Shyue-Win Wei, T-CAS2 Oct 97* 847-855
Estimation
2D IIR filters, spatial-domain approx., struct. matrix approach. *Shaw, A.K., + , T-CAS2 Sep 97* 769-774
digital multipliers, power consumption bounds estim. *Satyanarayana, J.H., + , T-CAS2 Jun 97* 473-481
sig. power estim. methods, implements. *Sei-Yeu Cheng, + , T-CAS2 Mar 97* 240-250
Estimation; cf. Adaptive estimation; Least squares methods; Mean square error methods; Minimax methods; Parameter estimation; Recursive estimation; State estimation
Exponentiation
GF(2^m) VLSI archits., exponentiations, multiplicative inverses, divisions. *Shyue-Win Wei, T-CAS2 Oct 97* 847-855
Extrapolation
complex domain neural net based data extrapol. algm., MR image appl. *Smith, M.R., + , T-CAS2 Feb 97* 143-147

F

Fading channels
asynchronous DS-CDMA in Rayleigh fading, adaptive multiuser detector. *Dutta, A.K., + , T-CAS2 Jun 97* 468-472
block adaptive filtering algm., decision-feedback equalization of multipath fading channels. *Wang, T., + , T-CAS2 Oct 97* 877-881
Fading channels; cf. Rayleigh channels
Failure analysis
ECL storage elements, faulty behavior modelling. *Menon, S.M., + , T-CAS2 Nov 97* 970-974
Fault diagnosis
lin. cct. fault diagnosis, neuromorphic analyzers. *Spina, R., + , T-CAS2 Mar 97* 188-196
Fault diagnosis; cf. Memory fault diagnosis
Fault tolerance
adaptive fault tolerance for reliable LMS adaptive filtering. *Schnaufer, B.A., + , T-CAS2 Dec 97* 1001-1014
Feature extraction
auditory, extraction, continuous-time discrete-sig. proc. IC. *Kumar, N., + , T-CAS2 Sep 97* 723-728
Feedback amplifiers
op amp, pos. feedback. *Lahiji, G.R., + , T-CAS2 May 97* 412-417
Feedback amplifiers; cf. Operational amplifiers
Feedback circuits
digital filtering archits., pipelining/interleaving tech. *Zhongnong Jiang, + , T-CAS2 Feb 97* 110-119
SONET OC-3 VLSI, AGC archit. *Chorng-Kuang Wang, + , T-CAS2 Sep 97* 779-783
switched-current ccts., offset current cancellation. *Tai-Haur Kuo, + , T-CAS2 Apr 97* 299-309
Feedforward neural networks
complex domain neural net based data extrapol. algm., MR image appl. *Smith, M.R., + , T-CAS2 Feb 97* 143-147
Feedforward neural networks; cf. Multilayer perceptrons
Feedforward systems
min-max fuzzy inference and estim., pointer adaptation and pruning. *Arabshahi, P., + , T-CAS2 Sep 97* 696-709
FET amplifiers; cf. MOSFET amplifiers
Field programmable gate arrays
sig. power estim. methods, implements. *Sei-Yeu Cheng, + , T-CAS2 Mar 97* 240-250
Fields (algebraic); cf. Galois fields
Filter distortion
max. decimated filter banks, distortions control. *Mirabbasi, S., + , T-CAS2 Jul 97* 597-600
Filtering
2D IIR filters, spatial-domain approx., struct. matrix approach. *Shaw, A.K., + , T-CAS2 Sep 97* 769-774
2D IIR notch filter design, outer product expansion. *Soo-Chang Pei, + , T-CAS2 Sep 97* 765-768
2D separable denominator digital systs., model reduction. *Chengshan Xiao, T-CAS2 Nov 97* 979-982
2D weighted Chebyshev FIR filters, min. norm design. *Nordebo, S., + , T-CAS2 Mar 97* 251-253
adaptive filters employing partial updates. *Douglas, S.C., T-CAS2 Mar 97* 209-216
adaptive FIR filtering in cascade form, fast multichannel RLS algm. *Coradine, L.C., + , T-CAS2 Sep 97* 757-762
diamond-shaped min. lin. phase 2D FIR low-pass filter design. *Lim, Y.C., + , T-CAS2 Nov 97* 966-970
digital filtering archits., pipelining/interleaving tech. *Zhongnong Jiang, + , T-CAS2 Feb 97* 110-119
fast running max-min filters, algm. and implement. *Coltuc, D., + , T-CAS2 Aug 97* 660-663
fixed-point FIR digital filter design techs., comparison. *Dempster, A.G., + , T-CAS2 Jul 97* 591-593
hybrid multirate filter banks, min. design. *Huang Shu, + , T-CAS2 Feb 97* 120-128
IIR algm. based on overlap-save approach. *Chen-Mie Wu, + , T-CAS2 Sep 97* 783-785
IIR multiple notch filter design based on allpass filter. *Soo-Chang Pei, + , T-CAS2 Feb 97* 133-136
lin. associative memories with optimal rejection to colored input noise. *Zou, L.-H., + , T-CAS2 Dec 97* 990-1000
lin.-phase FIR filter design, exchange algm. *Selesnick, I.W., + , T-CAS2 Feb 97* 137-143
low sensit. digital filter realizations, LBR two-pair extraction methods. *Jae Hwi Shin, + , T-CAS2 Mar 97* 226-239
LTI syst. ident., cumulant-based iter. method. *Anderson, J.M.M., + , T-CAS2 May 97* 407-409
max. decimated filter banks, distortions control. *Mirabbasi, S., + , T-CAS2 Jul 97* 597-600
multilevel split-path adaptive filtering and DWT adaptation. *Wan, K.F., + , T-CAS2 Feb 97* 147-151
multiple narrow-band interf. suppress., adaptive notch filters. *Soderstrand, M.A., + , T-CAS2 Mar 97* 217-225
parallel form digital filters, floating-point roundoff noise. *Chimin Tsai, T-CAS2 Sep 97* 774-779
partial-band time-varying systs., optimal design. *Campbell, W.M., + , T-CAS2 Apr 97* 274-283
QMF, eigen design. *Andrew, L., + , T-CAS2 Sep 97* 754-757
quasi-Newton adaptive filtering algm. *De Campos, M.L.R., + , T-CAS2 Nov 97* 924-934
recursive 1D variable filters with guaranteed stabil., design. *Tian-Bo Deng, T-CAS2 Sep 97* 689-695
self-tuning NLMS adaptive filter, parallel adaptation. *Peters, S.D., + , T-CAS2 Jan 97* 11-21
stack filters, signed binary no. represent. proc. *Akopian, D.A., + , T-CAS2 Mar 97* 197-208
state-space digital filters, floating-point DSP implement., roundoff noise anal. *Bomar, B.W., + , T-CAS2 Nov 97* 952-955
statistically optimum pre- and postfiltering in quantization. *Tuqan, J., + , T-CAS2 Dec 97* 1015-1031
X-LMS and delayed update LMS algms. *Rupp, M., T-CAS2 Jan 97* 57-60
Filtering; cf. Kalman filtering
Filter noise; cf. Digital filter wordlength effects
Filters
analog filter synthesis, num. tech. *Geffe, P.R., T-CAS2 Apr 97* 336-338

Filters; cf. Active filters; Adaptive filters; Bandpass filters; Butterworth filters; Continuous time filters; Digital filters; Equiripple filters; Lattice filters; Linear phase filters; Low-pass filters; Matched filters; Nonlinear filters; Notch filters; Programmable filters; Switched filters; Time-varying filters; Tunable filters; VHF filters
Finite state machines
factorization with modify and restore method, multilevel implement. *Mohan, C.R., + , T-CAS2 May 97* 371-377
Finite wordlength effects; cf. Digital filter wordlength effects; Roundoff errors
FIR digital filters
2D FIR digital filter design, weighted least sq. method. *Chaur-Heh Hsieh, + , T-CAS2 May 97* 348-357
2D weighted Chebyshev FIR filters, min. norm design. *Nordebo, S., + , T-CAS2 Mar 97* 251-253
adaptive FIR filtering in cascade form, fast multichannel RLS algm. *Coradine, L.C., + , T-CAS2 Sep 97* 757-762
closed-form soln. to least-square design problem of 2D lin.-phase FIR filters. *Zhu, W.-P., + , T-CAS2 Dec 97* 1032-1039
diamond-shaped min. lin. phase 2D FIR low-pass filter design. *Lim, Y.C., + , T-CAS2 Nov 97* 966-970
digital filtering archits., pipelining/interleaving tech. *Zhongnong Jiang, + , T-CAS2 Feb 97* 110-119
fixed-point FIR digital filter design techs., comparison. *Dempster, A.G., + , T-CAS2 Jul 97* 591-593
freq. sampling filter design, computationally efficient tech. *Stubberud, P.A., T-CAS2 Jan 97* 45-50
interpolated FIR struct., generalized factorizable filters. *Manduchi, R., T-CAS2 Jul 97* 564-576
lin.-phase FIR filter design, exchange algm. *Selesnick, I.W., + , T-CAS2 Feb 97* 137-143
low power high speed, differential coeffs. *Sankarayya, N., + , T-CAS2 Jun 97* 488-497
multilevel split-path adaptive filtering and DWT adaptation. *Wan, K.F., + , T-CAS2 Feb 97* 147-151
order reduction of 2D FIR filters with appls. *Lu, W.-S., T-CAS2 Dec 97* 1055-1058
quasi-Newton adaptive filtering algm. *De Campos, M.L.R., + , T-CAS2 Nov 97* 924-934
statistically optimum pre- and postfiltering in quantization. *Tuqan, J., + , T-CAS2 Dec 97* 1015-1031
Fixed point arithmetic
FIR digital filters, fixed-point, design techs. comparison. *Dempster, A.G., + , T-CAS2 Jul 97* 591-593
fixed-point direct-form recursive digital filters, high speed, dyn. scaling. *Fernando, J.S., + , T-CAS2 Oct 97* 861-864
Flip-flops
low power datapaths, flip-flops, gated clocks. *Lang, T., + , T-CAS2 Jun 97* 507-516
Floating point arithmetic
2D digital recursive filters, stabil. tests, rounding errors. *Barret, M., + , T-CAS2 Apr 97* 319-323
parallel form digital filters, floating-point roundoff noise. *Chimin Tsai, T-CAS2 Sep 97* 774-779
state-space digital filters, floating-point DSP implement., roundoff noise anal. *Bomar, B.W., + , T-CAS2 Nov 97* 952-955
Flow graphs; cf. Signal flow graphs
Fourier transforms; cf. Discrete Fourier transforms
Frequency domain analysis
closed-form soln. to least-square design problem of 2D lin.-phase FIR filters. *Zhu, W.-P., + , T-CAS2 Dec 97* 1032-1039
echo canceller, phase adjustment. *Fertner, A., T-CAS2 Oct 97* 835-841
parametrized s-to-z-plane mapping for continuous-time/discrete-time conversion. *Melvin, W.L., + , T-CAS2 Oct 97* 829-834
Frequency domain analysis; cf. Time-frequency analysis
Frequency response
2D FIR digital filter design, weighted least sq. method. *Chaur-Heh Hsieh, + , T-CAS2 May 97* 348-357
2D weighted Chebyshev FIR filters, min. norm design. *Nordebo, S., + , T-CAS2 Mar 97* 251-253
digital IIR filters, init. *Al-Ahmad, H., + , T-CAS2 May 97* 417-420
interpolated FIR struct., generalized factorizable filters. *Manduchi, R., T-CAS2 Jul 97* 564-576
low sensit. digital filter realizations, LBR two-pair extraction methods. *Jae Hwi Shin, + , T-CAS2 Mar 97* 226-239
multifunction biquadratic filters, current conveyors. *Chun-Ming Chang, T-CAS2 Nov 97* 956-958
sampling filter design, computationally efficient tech. *Stubberud, P.A., T-CAS2 Jan 97* 45-50
switched-current ccts., offset current cancellation. *Tai-Haur Kuo, + , T-CAS2 Apr 97* 299-309
Functions; cf. Boolean functions; Chebyshev functions; Green function; Rational functions; Spline functions; Switching functions; Transfer functions
Fuzzy control
min-max fuzzy inference and estim., pointer adaptation and pruning. *Arabshahi, P., + , T-CAS2 Sep 97* 696-709
Fuzzy logic
design methods for fuzzy logic systs. *Mendel, J.M., + , T-CAS2 Nov 97* 885-895
Fuzzy sets
design methods for fuzzy logic systs. *Mendel, J.M., + , T-CAS2 Nov 97* 885-895
min-max fuzzy inference and estim., pointer adaptation and pruning. *Arabshahi, P., + , T-CAS2 Sep 97* 696-709
Fuzzy systems
min-max fuzzy inference and estim., pointer adaptation and pruning. *Arabshahi, P., + , T-CAS2 Sep 97* 696-709

G

Gain control
charge-pump PLL, optimum phase-acquisition tech. *Gyoung-Tae Roh, + , T-CAS2 Sep 97* 729-740
high-speed data commun. systs., adaptive gain control. *Fertner, A., + , T-CAS2 Nov 97* 962-966
SONET OC-3 VLSI, AGC archit. *Chorng-Kuang Wang, + , T-CAS2 Sep 97* 779-783
Galois fields
fast lin. independ. logic transforms., classif. and props. *Falkowski, B.J., + , T-CAS2 Aug 97* 646-655
Gaussian channels
asynchronous DS-CDMA in Rayleigh fading, adaptive multiuser detector. *Dutta, A.K., + , T-CAS2 Jun 97* 468-472
Gaussian noise
LTI syst. ident., cumulant-based iter. method. *Anderson, J.M.M., + , T-CAS2 May 97* 407-409
Gaussian processes
stochastic anal. of ΣΔ/differential pulse code modulators. *Sharma, R., + , T-CAS2 Oct 97* 798-807
Genetic algorithms
fixed-point FIR digital filter design techs., comparison. *Dempster, A.G., + , T-CAS2 Jul 97* 591-593
Gradient methods
filtered-X-LMS and delayed update LMS algms. *Rupp, M., T-CAS2 Jan 97* 57-60
multiple narrow-band interf. suppress., adaptive notch filters. *Soderstrand, M.A., + , T-CAS2 Mar 97* 217-225
multiple transform algms. for time-varying sig. representation. *DeBrunner, V., + , T-CAS2 Aug 97* 663-667
Gradient methods; cf. Backpropagation; Least mean square methods
Green function
discrete layered lossy and absorbing media, forward and inverse scatt. *Frolik, J.L., + , T-CAS2 Sep 97* 710-722
Group theory
permutation filter design, group colorings. *Barner, K.E., + , T-CAS2 Jul 97* 531-548

H

Harmonic analysis
discrete W transforms, shift props., real time discrete W analyzers. *, Jiangtao Xi, + , T-CAS2 Jan 97* 41-45
Harmonic distortion
SC ccts. using correl. double sampling, nonlin. distort. reduct. *Yunteng Huang, + , T-CAS2 Jul 97* 593-597
switched-current ccts., offset current cancellation. *Tai-Haur Kuo, + , T-CAS2 Apr 97* 299-309
Hartley transforms; cf. Discrete Hartley transforms
Heterojunction bipolar transistors
InP HBT RF power amp. for pers. access commun. syst. transmitter. *Izadpanah, H., + , T-CAS2 Jun 97* 482-487
HF radio communication
block adaptive filtering algm., decision-feedback equalization of multipath fading channels. *Wang, T., + , T-CAS2 Oct 97* 877-881
Higher order statistics
LTI syst. ident., cumulant-based iter. method. *Anderson, J.M.M., + , T-CAS2 May 97* 407-409
High-speed electronics
FIR filter, low power high speed, differential coeffs. *Sankarayya, N., + , T-CAS2 Jun 97* 488-497

High-speed integrated circuits
CMOS pass-transistor logic, synthesis. *Oklobdzija, V.G.*, + , *T-CAS2 Nov 97* 974-976
fixed-point direct-form recursive digital filters, high speed, dyn. scaling. *Fernando, J.S.*, + , *T-CAS2 Oct 97* 861-864
hybrid radix-4/radix-8 low power signed multiplier archit. *Cherkauer, B.S.*, + , *T-CAS2 Aug 97* 656-659
H-infinity optimization
hybrid multirate filter banks, min. design. *Huang Shu*, + , *T-CAS2 Feb 97* 120-128
Hysteresis
SPICE macromodeling, nonlin. mag. cores. *Brachtendorf, H.G.*, + , *T-CAS2 May 97* 378-388

I

Identification
LTI syst. ident., cumulant-based iter. method. *Anderson, J.M.M.*, + , *T-CAS2 May 97* 407-409
self-tuning NLMS adaptive filter, parallel adaptation. *Peters, S.D.*, + , *T-CAS2 Jan 97* 11-21
Identification; cf. Parameter estimation
IF systems
group-delay optimized IF filters for narrowband PCS. *Lipin Ai*, + , *T-CAS2 Jun 97* 461-467
low power current-mode second-order bandpass IF filter. *Fabre, A.*, + , *T-CAS2 Jun 97* 436-446
IIR digital filters
2D digital recursive filters, stabil. tests, rounding errors. *Barret, M.*, + , *T-CAS2 Apr 97* 319-323
2D IIR filters, spatial-domain approx., struct. matrix approach. *Shaw, A.K.*, + , *T-CAS2 Sep 97* 769-774
2D IIR notch filter design, outer product expansion. *Soo-Chang Pei*, + , *T-CAS2 Sep 97* 765-768
2D noncausal IIR filters. *Daniel, M.M.*, + , *T-CAS2 Jul 97* 549-563
adaptive IIR filters, min. complexity, sensitivity generation. *Williamson, G.A.*, *T-CAS2 Aug 97* 673-678
causal 2D digital filters, real coeff. 2D all-pass building blocks. *Safiri, H.*, + , *T-CAS2 May 97* 409-412
digital filtering archits., pipelining/interleaving tech. *Zhongnong Jiang*, + , *T-CAS2 Feb 97* 110-119
digital IIR filters, init. *Al-Ahmad, H.*, + , *T-CAS2 May 97* 417-420
hyperstable adaptive recursive filters for image filtering. *Tan, A.C.*, + , *T-CAS2 May 97* 358-370
multiple narrow-band interf. suppress., adaptive notch filters. *Soderstrand, M.A.*, + , *T-CAS2 Mar 97* 217-225
multiple notch filter design based on allpass filter. *Soo-Chang Pei*, + , *T-CAS2 Feb 97* 133-136
overlap-save approach based IIR algm. *Chen-Mie Wu*, + , *T-CAS2 Sep 97* 783-785
polyphase DFT filter banks with fading memory, recursive FT. *Varkonyi-Koczy, A.R.*, *T-CAS2 Aug 97* 670-673
statistically optimum pre- and postfiltering in quantization. *Tuqan, J.*, + , *T-CAS2 Dec 97* 1015-1031
Image analysis; cf. Image edge analysis
Image coding
DCT, step response. *Andrew, J.P.*, + , *T-CAS2 Mar 97* 260-262
hyperstable adaptive recursive filters for image filtering. *Tan, A.C.*, + , *T-CAS2 May 97* 358-370
nonorthogonal basis image, representation, recursive parallel mixed transform. *Berg, A.P.*, + , *T-CAS2 Oct 97* 818-828
QMF, eigen design. *Andrew, L.*, + , *T-CAS2 Sep 97* 754-757
Image edge analysis
2D recursive image filtering algm., edge preserving props., num. complexity. *Concetti, A.*, + , *T-CAS2 Jul 97* 587-591
Image enhancement
hyperstable adaptive recursive filters for image filtering. *Tan, A.C.*, + , *T-CAS2 May 97* 358-370
Image processing
2D IIR notch filter design, outer product expansion. *Soo-Chang Pei*, + , *T-CAS2 Sep 97* 765-768
digital images, multilevel halftoning, CNN paradigm. *Bakic, P.R.*, + , *T-CAS2 Jun 97* 50-53
parallel skeletonization of images, array proc. design. *Bourbakis, N.*, + , *T-CAS2 Apr 97* 284-298
Image processing; cf. Biomedical image processing; Image coding; Image enhancement; Image reconstruction; Image sampling
Image reconstruction
complex domain neural net based data extrapol. algm., MR image appl. *Smith, M.R.*, + , *T-CAS2 Feb 97* 143-147
Image representations
2D recursive image filtering algm., edge preserving props., num. complexity. *Concetti, A.*, + , *T-CAS2 Jul 97* 587-591
nonorthogonal basis image, representation, recursive parallel mixed transform. *Berg, A.P.*, + , *T-CAS2 Oct 97* 818-828
Image sampling
diamond-shaped min. lin. phase 2D FIR low-pass filter design. *Lim, Y.C.*, + , *T-CAS2 Nov 97* 966-970
Image sensors
pulse-based analog CMOS VLSI vel. sens. *Krammer, J.*, + , *T-CAS2 Feb 97* 86-101
Indium compounds
InP HBT RF power amp. for pers. access commun. syst. transmitter. *Izadpanah, H.*, + , *T-CAS2 Jun 97* 482-487
Inductance
low power current-mode second-order bandpass IF filter. *Fabre, A.*, + , *T-CAS2 Jun 97* 436-446
Inductors
Q-enhanced act.-RLC bandpass filter, lossy integrated inductors. *Duncan, R.*, + , *T-CAS2 May 97* 341-347
Inference mechanisms
min-max fuzzy inference and estim., pointer adaptation and pruning. *Arabshahi, P.*, + , *T-CAS2 Sep 97* 696-709
Information rates
digital VLSI systs., math. basis for power reduct. *Shanbhag, N.R.*, *T-CAS2 Nov 97* 935-951
Information theory
digital VLSI systs., math. basis for power reduct. *Shanbhag, N.R.*, *T-CAS2 Nov 97* 935-951
Information theory; cf. Decoding; Encoding
Input-output stability
2D IIR notch filter design, outer product expansion. *Soo-Chang Pei*, + , *T-CAS2 Sep 97* 765-768
Integral equations
discrete layered lossy and absorbing media, forward and inverse scatt. *Frolik, J.L.*, + , *T-CAS2 Sep 97* 710-722
Integrated circuit design
analog cct. observer blocks, DFT tech. for analog and mixed-sig. ICs. *Harjani, R.*, + , *T-CAS2 Mar 97* 154-163
CMOS analog cct. designs, differential act. load appls. *Prodanov, V.I.*, + , *T-CAS2 Apr 97* 265-273
CMOS pass-transistor adiabatic logic, single power-clock supply. *Oklobdzija, V.G.*, + , *T-CAS2 Oct 97* 842-846
high-speed CMOS pass-transistor logic, synthesis. *Oklobdzija, V.G.*, + , *T-CAS2 Nov 97* 974-976
RNS full adder-based inner product archits., VLSI design methodology. *Soudris, D.J.*, + , *T-CAS2 Apr 97* 315-318
Integrated circuit measurements
BiCMOS continuous-time shaping filter, read-out electronics appl. *Baschirotto, A.*, + , *T-CAS2 May 97* 404-406
Integrated circuit noise
BiCMOS continuous-time shaping filter, read-out electronics appl. *Baschirotto, A.*, + , *T-CAS2 May 97* 404-406
D sig. acquisition, commutable band-pass filter. *Solhusvik, J.*, + , *T-CAS2 Mar 97* 164-173
spectral shaping of cct. errors in D/A converters. *Galton, I.*, *T-CAS2 Oct 97* 808-817
Integrated circuit reliability
ECL storage elements, faulty behavior modelling. *Menon, S.M.*, + , *T-CAS2 Nov 97* 970-974
Integrated circuits; cf. Analog integrated circuits; Bipolar integrated circuits; CMOS integrated circuits; Digital integrated circuits; High-speed integrated circuits; Semiconductor memories; UHF integrated circuits; Very-large-scale integration
Integrated circuit testing
analog cct. observer blocks, DFT tech. for analog and mixed-sig. ICs. *Harjani, R.*, + , *T-CAS2 Mar 97* 154-163
QA testing in mfg., review. *Grochowski, A.*, + , *T-CAS2 Aug 97* 610-633
Integrators
corrections to "Wideband CMOS transconductor for analog VLSI systems" (Nov 96 775-776). *Raut, R.*, *T-CAS2 Apr 97* 338
sigma-delta modulator topologies, single-stage/multistage archits. *Fischer, G.*, + , *T-CAS2 Oct 97* 789-797
Intelligent control
min-max fuzzy inference and estim., pointer adaptation and pruning. *Arabshahi, P.*, + , *T-CAS2 Sep 97* 696-709
Interconnected circuits; cf. Cascade circuits
Interconnected systems; cf. Cascade systems
Interference; cf. Intersymbol interference; Land mobile radio interference
Interference suppression
2D IIR notch filter design, outer product expansion. *Soo-Chang Pei*, + , *T-CAS2 Sep 97* 765-768

asynchronous DS-CDMA in Rayleigh fading, adaptive multiuser detector. *Dutta, A.K., + , T-CAS2 Jun 97* 468-472
DS/CDMA commun., blind interf. suppression algm. *Park, O.C., + , T-CAS2 Jun 97* 453-460
multiple narrow-band interf. suppress., adaptive notch filters. *Soderstrand, M.A., + , T-CAS2 Mar 97* 217-225
SS syst., time domain proc. device. *Shiping He, + , T-CAS2 Jun 97* 447-452
Interference suppression; cf. Echo suppression
Interpolation
FIR struct., generalized factorizable filters. *Manduchi, R., T-CAS2 Jul 97* 564-576
high-order sigma-delta modulators, anal. framework. *Steiner, P., + , T-CAS2 Jan 97* 1-10
pipelined ADCs, background digital calib. techs. *Un-Ku Moon, + , T-CAS2 Feb 97* 102-109
Interpolation; cf. Spline functions
Intersymbol interference
anchored blind equalization, const. modulus algm. *Kamel, R.E., + , T-CAS2 May 97* 397-403
Inverse problems; cf. Electromagnetic scattering inverse problems; Image reconstruction; Matrix inversion
ISDN; cf. SONET
Iterative methods
causal 2D digital filters, real coeff. 2D all-pass building blocks. *Safiri, H., + , T-CAS2 May 97* 409-412
LTI syst. ident., cumulant-based iter. method. *Anderson, J.M.M., + , T-CAS2 May 97* 407-409

J

Jitter; cf. Phase jitter

K

Kalman filtering
2D recursive image filtering algm., edge preserving props., num. complexity. *Concetti, A., + , T-CAS2 Jul 97* 587-591
spline approx., Kalman filter state estim. *Harashima, M., + , T-CAS2 May 97* 421-424

L

Land mobile radio cellular systems
low power current-mode second-order bandpass IF filter. *Fabre, A., + , T-CAS2 Jun 97* 436-446
Land mobile radio equipment
InP HBT RF power amp. for pers. access commun. syst. transmitter. *Izadpanah, H., + , T-CAS2 Jun 97* 482-487
Land mobile radio interference
asynchronous DS-CDMA in Rayleigh fading, adaptive multiuser detector. *Dutta, A.K., + , T-CAS2 Jun 97* 468-472
Large-scale integration; cf. Very-large-scale integration
Lattice filters
asymmetric half-plane lattice modeling based on 2-D Levinson algm. *Nakachi, T., + , T-CAS2 Oct 97* 865-868
Learning systems; cf. Backpropagation; Neural networks
Least mean square methods
2D adaptive state-space filters based on Fornasini-Marchesini second model. *Hinamoto, T., + , T-CAS2 Aug 97* 667-670
adaptive fault tolerance for reliable LMS adaptive filtering. *Schnaufer, B.A., + , T-CAS2 Dec 97* 1001-1014
asynchronous DS-CDMA in Rayleigh fading, adaptive multiuser detector. *Dutta, A.K., + , T-CAS2 Jun 97* 468-472
filtered-X-LMS and delayed update LMS algms. *Rupp, M., T-CAS2 Jan 97* 57-60
forward-backward LMS adaptive filters, efficient implement. *Hen-Geul Yeh, T-CAS2 Apr 97* 332-336
lin. associative memories with optimal rejection to colored input noise. *Zou, L.-H., + , T-CAS2 Dec 97* 990-1000
multilevel split-path adaptive filtering and DWT adaptation. *Wan, K.F., + , T-CAS2 Feb 97* 147-151
running DHTs and DWTs comp. based on adaptive LMS algm. *Jingtao Xi, + , T-CAS2 Mar 97* 257-260
self-tuning NLMS adaptive filter, parallel adaptation. *Peters, S.D., + , T-CAS2 Jan 97* 11-21
Least mean square methods; cf. Backpropagation
Least squares methods
2D FIR digital filter design, weighted least sq. method. *Chaur-Heh Hsieh, + , T-CAS2 May 97* 348-357
2D IIR filters, spatial-domain approx., struct. matrix approach. *Shaw, A.K., + , T-CAS2 Sep 97* 769-774
adaptive FIR filtering in cascade form, fast multichannel RLS algm. *Coradine, L.C., + , T-CAS2 Sep 97* 757-762
closed-form soln. to least-square design problem of 2D lin.-phase FIR filters. *Zhu, W.-P., + , T-CAS2 Dec 97* 1032-1039
fuzzy logic systs., design methods. *Mendel, J.M., + , T-CAS2 Nov 97* 885-895
recursive 1D variable filters with guaranteed stabil., design. *Tian-Bo Deng, T-CAS2 Sep 97* 689-695
STAR recursive least square adaptive filters. *Li, Y., + , T-CAS2 Dec 97* 1040-1054
Limit cycles
fixed-point direct-form recursive digital filters, high speed, dyn. scaling. *Fernando, J.S., + , T-CAS2 Oct 97* 861-864
poly-phase sigma-DM. *Roza, E., T-CAS2 Nov 97* 915-923
Linear algebra; cf. Determinants; Eigenvalues and eigenfunctions; Matrices
Linear circuits
multifunction biquadratic filters, current conveyors. *Chun-Ming Chang, T-CAS2 Nov 97* 956-958
Linear phase filters
causal 2D digital filters, real coeff. 2D all-pass building blocks. *Safiri, H., + , T-CAS2 May 97* 409-412
closed-form soln. to least-square design problem of 2D lin.-phase FIR filters. *Zhu, W.-P., + , T-CAS2 Dec 97* 1032-1039
diamond-shaped min. lin. phase 2D FIR low-pass filter design. *Lim, Y.C., + , T-CAS2 Nov 97* 966-970
FIR filter, lin.-phase design, exchange algm. *Selesnick, I.W., + , T-CAS2 Feb 97* 137-143
freq. sampling filter design, computationally efficient tech. *Stubberud, P.A., T-CAS2 Jan 97* 45-50
interpolated FIR struct., generalized factorizable filters. *Manduchi, R., T-CAS2 Jul 97* 564-576
lin.-phase FIR filter design, exchange algm. *Selesnick, I.W., + , T-CAS2 Feb 97* 137-143
multilevel split-path adaptive filtering and DWT adaptation. *Wan, K.F., + , T-CAS2 Feb 97* 147-151
Linear phase filters; cf. Bessel filters
Linear programming
diamond-shaped min. lin. phase 2D FIR low-pass filter design. *Lim, Y.C., + , T-CAS2 Nov 97* 966-970
Linear systems
externally LTI systs., companding sig. proc. appl. *Tsividis, Y., T-CAS2 Feb 97* 65-85
time-invariant syst. ident., cumulant-based iter. method. *Anderson, J.M.M., + , T-CAS2 May 97* 407-409
Line enhancers
2D adaptive state-space filters based on Fornasini-Marchesini second model. *Hinamoto, T., + , T-CAS2 Aug 97* 667-670
forward-backward LMS adaptive filters, efficient implement. *Hen-Geul Yeh, T-CAS2 Apr 97* 332-336
Logic; cf. Fuzzy logic; Inference mechanisms
Logic arrays
fixed-point direct-form recursive digital filters, high speed, dyn. scaling. *Fernando, J.S., + , T-CAS2 Oct 97* 861-864
Logic arrays; cf. Programmable logic arrays
Logic circuits
power consumption in digital multipliers, bounds estim. *Satyanarayana, J.H., + , T-CAS2 Jun 97* 473-481
Logic circuits; cf. Asynchronous logic circuits; Logic arrays; Sequential logic circuits
Logic design
fast lin. independ. logic transforms., classif. and props. *Falkowski, B.J., + T-CAS2 Aug 97* 646-655
high-speed CMOS pass-transistor logic, synthesis. *Oklobdzija, V.G., + , T-CAS2 Nov 97* 974-976
Lossy circuits
Q-enhanced act.-RLC bandpass filter, lossy integrated inductors. *Duncan, R., + , T-CAS2 May 97* 341-347
Lossy systems
discrete layered lossy and absorbing media, forward and inverse scatt. *Frolik, J.L., + , T-CAS2 Sep 97* 710-722
Low-pass filters
causal 2D digital filters, real coeff. 2D all-pass building blocks. *Safiri, H., + , T-CAS2 May 97* 409-412
CMOS OTA, lin. fully bal. amp., VHF filtering. *Szczepanski, S., + , T-CAS2 Mar 97* 174-187
diamond-shaped min. lin. phase 2D FIR low-pass filter design. *Lim, Y.C., + , T-CAS2 Nov 97* 966-970
lin.-phase FIR filter design, exchange algm. *Selesnick, I.W., + , T-CAS2 Feb 97* 137-143

M

Magnetic cores
hysteresis phenom., SPICE macromodeling, nonlin. mag. cores. *Brachtendorf, H.G., + , T-CAS2 May 97* 378-388
Magnetic resonance imaging; cf. Biomedical magnetic resonance imaging
Manufacturing testing
IC testing for QA in mfg., review. *Grochowski, A., + , T-CAS2 Aug 97* 610-633
Matched filters
low power prog. matched filters for portable wireless terminals, comparison. *Hahm, M.D., + , T-CAS2 Jun 97* 498-506
Mathematical programming; cf. Linear programming; Quadratic programming
Mathematics; cf. Optimization methods
Matrices
2D IIR filters, spatial-domain approx., struct. matrix approach. *Shaw, A.K., + , T-CAS2 Sep 97* 769-774
2D separable denominator digital systs., model reduction. *Chengshan Xiao, T-CAS2 Nov 97* 979-982
high-order sigma-delta modulators, anal. framework. *Steiner, P., + , T-CAS2 Jan 97* 1-10
invariant-norm principal component anal. algm., exponential stabil. *Reif, K., + , T-CAS2 Oct 97* 873-876
multilevel split-path adaptive filtering and DWT adaptation. *Wan, K.F., + , T-CAS2 Feb 97* 147-151
order reduction of 2D FIR filters with appls. *Lu, W.-S., T-CAS2 Dec 97* 1055-1058
Matrices; cf. Polynomial matrices; Toeplitz matrices
Matrix decomposition
block adaptive filtering algm., decision-feedback equalization of multipath fading channels. *Wang, T., + , T-CAS2 Oct 97* 877-881
recursive eigendecomposition, factored orthogonal transforms. *Vanpoucke, F.J., + , T-CAS2 Mar 97* 253-256
Matrix decomposition; cf. Singular value decomposition
Matrix inversion
fast lin. independ. logic transforms., classif. and props. *Falkowski, B.J., + , T-CAS2 Aug 97* 646-655
Matrix multiplication
fast DCT algm. and systolic VLSI implement. *Yu-Tai Chang, + , T-CAS2 Nov 97* 959-962
IIR algm. based on overlap-save approach. *Chen-Mie Wu, + , T-CAS2 Sep 97* 783-785
Maximally flat magnitude filters; cf. Butterworth filters
Mean square error methods
digital images, multilevel halftoning, CNN paradigm. *Bakic, P.R., + , T-CAS2 Jan 97* 50-53
freq. sampling filter design, computationally efficient tech. *Stubberud, P.A., T-CAS2 Jan 97* 45-50
Measurement; cf. Integrated circuit measurements; Time measurement
Measurement errors
analog cct. observer blocks, DFT tech. for analog and mixed-sig. ICs. *Harjani, R., + , T-CAS2 Mar 97* 154-163
Mechanical variables measurement; cf. Velocity measurement
Memories; cf. Associative memories; Semiconductor memories
Memory fault diagnosis
ECL storage elements, faulty behavior modelling. *Menon, S.M., + , T-CAS2 Nov 97* 970-974
Microprocessors; cf. Digital signal processors
MIMO systems
lossless bounded real realization of MIMO systs., rot. blocks. *Seung Joo Maeng, + , T-CAS2 Apr 97* 310-315
Minimax methods
diamond-shaped min. lin. phase 2D FIR low-pass filter design. *Lim, Y.C., + , T-CAS2 Nov 97* 966-970
hybrid multirate filter banks, min. design. *Huang Shu, + , T-CAS2 Feb 97* 120-128
interpolated FIR struct., generalized factorizable filters. *Manduchi, R., T-CAS2 Jul 97* 564-576
Minimization methods
anchored blind equalization, const. modulus algm. *Kamel, R.E., + , T-CAS2 May 97* 397-403
LTI syst. ident., cumulant-based iter. method. *Anderson, J.M.M., + , T-CAS2 May 97* 407-409
multidimensional DSP appls., memory access overhead minimization. *Wang, J.Q., + , T-CAS2 Sep 97* 741-753
Mixed analog-digital integrated circuits
auditory, extraction, continuous-time discrete-sig. proc. IC. *Kumar, N., + , T-CAS2 Sep 97* 723-728
DFT tech., analog cct. observer blocks. *Harjani, R., + , T-CAS2 Mar 97* 154-163
IC testing for QA in mfg., review. *Grochowski, A., + , T-CAS2 Aug 97* 610-633
Mobile communication; cf. Portable radio communication
Modeling; cf. Signal representations
Model reduction; cf. Reduced order systems
Modulation; cf. Differential pulse code modulation; Digital modulation
Monte Carlo methods
switched-current ccts., offset current cancellation. *Tai-Haur Kuo, + , T-CAS2 Apr 97* 299-309
MOS analog integrated circuits; cf. CMOS analog integrated circuits; MOSFET amplifiers
MOS digital integrated circuits; cf. CMOS digital integrated circuits
MOSFET amplifiers
bias optim. for switched capacitor amps. *Opris, I.E., + , T-CAS2 Dec 97* 985-989
MOSFET logic devices; cf. CMOSFET logic devices
MOS integrated circuits; cf. CMOS integrated circuits
Motion analysis
pulse-based analog CMOS VLSI vel. sens. *Krammer, J., + , T-CAS2 Feb 97* 86-101
Moving average processes; cf. Autoregressive moving average processes
Multiaccess communication; cf. Code division multiaccess; Subscriber loops
Multidimensional digital filters
adaptive state-space filters based on Fornasini-Marchesini second model. *Hinamoto, T., + , T-CAS2 Aug 97* 667-670
causal 2D digital filters, real coeff. 2D all-pass building blocks. *Safiri, H., + , T-CAS2 May 97* 409-412
charact. polynomial stabil. test simplification. *Xiheng Hu, T-CAS2 Apr 97* 330-332
diamond-shaped min. lin. phase 2D FIR low-pass filter design. *Lim, Y.C., + , T-CAS2 Nov 97* 966-970
FIR digital filter design, weighted least sq. method. *Chaur-Heh Hsieh, + , T-CAS2 May 97* 348-357
hyperstable adaptive recursive filters for image filtering. *Tan, A.C., + , T-CAS2 May 97* 358-370
IIR filters, spatial-domain approx., struct. matrix approach. *Shaw, A.K., + , T-CAS2 Sep 97* 769-774
IIR filters, stabil. tests, rounding errors. *Barret, M., + , T-CAS2 Apr 97* 319-323
IIR notch filter design, outer product expansion. *Soo-Chang Pei, + , T-CAS2 Sep 97* 765-768
interpolated FIR struct., generalized factorizable filters. *Manduchi, R., T-CAS2 Jul 97* 564-576
noncausal IIR filters. *Daniel, M.M., + , T-CAS2 Jul 97* 549-563
order reduction of 2D FIR filters with appls. *Lu, W.-S., T-CAS2 Dec 97* 1055-1058
recursive image filtering algm., edge preserving props., num. complexity. *Concetti, A., + , T-CAS2 Jul 97* 587-591
separable denominator digital systs., model reduction. *Chengshan Xiao, T-CAS2 Nov 97* 979-982
weighted Chebyshev FIR filters, min. norm design. *Nordebo, S., + , T-CAS2 Mar 97* 251-253
Multidimensional signal processing
2D noncausal IIR filters. *Daniel, M.M., + , T-CAS2 Jul 97* 549-563
asymmetric half-plane lattice modeling based on 2-D Levinson algm. *Nakachi, T., + , T-CAS2 Oct 97* 865-868
memory access overhead minimization for multidimensional DSP appls. *Wang, J.Q., + , T-CAS2 Sep 97* 741-753
Multidimensional systems
2D separable denominator digital systs., model reduction. *Chengshan Xiao, T-CAS2 Nov 97* 979-982
Multilayer perceptrons
complex domain neural net based data extrapol. algm., MR image appl. *Smith, M.R., + , T-CAS2 Feb 97* 143-147
Multipath channels
block adaptive filtering algm., decision-feedback equalization of multipath fading channels. *Wang, T., + , T-CAS2 Oct 97* 877-881
Multipath channels; cf. Rayleigh channels
Multiplication; cf. Analog multipliers; Matrix multiplication
Multiplying circuits
digital multipliers, power consumption bounds estim. *Satyanarayana, J.H., + , T-CAS2 Jun 97* 473-481
hybrid radix-4/madix-8 low power signed multiplier archit. *Cherkauer, B.S., + , T-CAS2 Aug 97* 656-659
Multiprocessing
multidimensional DSP appls., memory access overhead minimization. *Wang, J.Q., + , T-CAS2 Sep 97* 741-753
parallel hybrid data/command driven archit., scalable dyn. load balancing cct. *Heath, J.R., + , T-CAS2 Jan 97* 22-40
Multiprocessing; cf. Data flow computing; Neural networks; Systolic arrays
Multiuser channels
one-shot decorrelating detector for CDMA commun., adaptive implement. *Myers, T., + , T-CAS2 Sep 97* 762-765

Multivariable systems; cf. MIMO systems
Multivibrators; cf. Flip-flops

N

Networks; cf. Neural networks
Neural network applications
complex domain neural net based data extrapol. algm., MR image appl. *Smith, M.R., + , T-CAS2 Feb 97* 143-147
lin. cct. fault diagnosis, neuromorphic analyzers. *Spina, R., + , T-CAS2 Mar 97* 188-196
Neural network hardware
analog Gaussian radial basis cct., scalable LV implement. *Theogarajan, L., + , T-CAS2 Nov 97* 977-979
Neural networks
invariant-norm principal component anal. algm., exponential stabil. *Reif, K., + , T-CAS2 Oct 97* 873-876
lin. associative memories with optimal rejection to colored input noise. *Zou, L.-H., + , T-CAS2 Dec 97* 990-1000
Neural networks; cf. Cellular neural networks; Feedforward neural networks
Newton method
quasi-Newton adaptive filtering algm. *De Campos, M.L.R., + , T-CAS2 Nov 97* 924-934
Noise
lin. associative memories with optimal rejection to colored input noise. *Zou, L.-H., + , T-CAS2 Dec 97* 990-1000
Noise; cf. Circuit noise; Gaussian noise; White noise
Noise generators
lin. cct. fault diagnosis, neuromorphic analyzers. *Spina, R., + , T-CAS2 Mar 97* 188-196
Nonhomogeneous media; cf. Electromagnetic scattering by nonhomogeneous media
Nonlinear circuits
high-order sigma-delta modulators, anal. framework. *Steiner, P., + , T-CAS2 Jan 97* 1-10
hysteresis phenom., SPICE macromodeling, nonlin. mag. cores. *Brachtendorf, H.G., + , T-CAS2 May 97* 378-388
permutation filter design, group colorings. *Barner, K.E., + , T-CAS2 Jul 97* 531-548
switched-current ccts., offset current cancellation. *Tai-Haur Kuo, + , T-CAS2 Apr 97* 299-309
Nonlinear circuits; cf. Cellular neural networks; Nonlinear filters
Nonlinear differential equations
hysteresis phenom., SPICE macromodeling, nonlin. mag. cores. *Brachtendorf, H.G., + , T-CAS2 May 97* 378-388
Nonlinear distortion; cf. Amplifier distortion; Harmonic distortion
Nonlinear equations; cf. Nonlinear differential equations; Polynomials
Nonlinear filters
permutation filter design, group colorings. *Barner, K.E., + , T-CAS2 Jul 97* 531-548
stack filters, signed binary no. represent. proc. *Akopian, D.A., + , T-CAS2 Mar 97* 197-208
Nonlinear filters; cf. Biquadratic filters
Nonlinearities; cf. Hysteresis
Nonlinear programming; cf. Quadratic programming
Notch filters
2D IIR notch filter design, outer product expansion. *Soo-Chang Pei, + , T-CAS2 Sep 97* 765-768
IIR multiple notch filter design based on allpass filter. *Soo-Chang Pei, + , T-CAS2 Feb 97* 133-136
multiple narrow-band interf. suppress., adaptive notch filters. *Soderstrand, M.A., + , T-CAS2 Mar 97* 217-225
Numerical analysis; cf. Approximation methods; Convergence of numerical methods; Gradient methods; Iterative methods; Monte Carlo methods; Newton method
Numerical stability
recursive eigendecomposition, factored orthogonal transforms. *Vanpoucke, F.J., + , T-CAS2 Mar 97* 253-256

O

Obituaries
Sydney R. Parker. *Mitra, S.K., T-CAS2 Mar 97* 153
Observability
analog cct. observer blocks, DFT tech. for analog and mixed-sig. ICs. *Harjani, R., + , T-CAS2 Mar 97* 154-163
Operational amplifiers
analog cct. observer blocks, DFT tech. for analog ICs. *Harjani, R., + , T-CAS2 Mar 97* 154-163
bipolar op amp, pos. feedback. *Lahiji, G.R., + , T-CAS2 May 97* 412-417
CMOS OTA, lin. fully bal. amp., VHF filtering. *Szczepanski, S., + , T-CAS2 Mar 97* 174-187
II-based all-pass filters from op amp-based ccts. *Soliman, A.M., T-CAS2 Apr 97* 324-330
LV op amps, complementary N-P input pairs, CMRR. *Fan You, + , T-CAS2 Aug 97* 678-683
SC ccts. using correl. double sampling, nonlin. distort. reduct. *Yunteng Huang, + , T-CAS2 Jul 97* 593-597
Optical communication; cf. Optical fiber communication; SONET
Optical communication equipment
SONET OC-3 VLSI, AGC archit. *Chorng-Kuang Wang, + , T-CAS2 Sep 97* 779-783
Optical fiber communication
SONET OC-3 VLSI, AGC archit. *Chorng-Kuang Wang, + , T-CAS2 Sep 97* 779-783
Optimization methods
2D IIR filters, spatial-domain approx., struct. matrix approach. *Shaw, A.K., + , T-CAS2 Sep 97* 769-774
quasi-Newton adaptive filtering algm. *De Campos, M.L.R., + , T-CAS2 Nov 97* 924-934
Optimization methods; cf. Circuit optimization; Genetic algorithms; Gradient methods; H-infinity optimization; Least squares methods; Minimax methods; Minimization methods; Polynomial approximation

P

Parallel algorithms
IIR algm. based on overlap-save approach. *Chen-Mie Wu, + , T-CAS2 Sep 97* 783-785
recursive eigendecomposition, factored orthogonal transforms. *Vanpoucke, F.J., + , T-CAS2 Mar 97* 253-256
self-tuning NLMS adaptive filter, parallel adaptation. *Peters, S.D., + , T-CAS2 Jan 97* 11-21
skeletonization of images, array proc. design. *Bourbakis, N., + , T-CAS2 Apr 97* 284-298
Parallel architectures
hybrid data/command driven archit., scalable dyn. load balancing cct. *Heath, J.R., + , T-CAS2 Jan 97* 22-40
hybrid radix-4/madix-8 low power signed multiplier archit. *Cherkauer, B.S., + , T-CAS2 Aug 97* 656-659
RNS full adder-based inner product archits., VLSI design methodology. *Soudris, D.J., + , T-CAS2 Apr 97* 315-318
skeletonization of images, array proc. design. *Bourbakis, N., + , T-CAS2 Apr 97* 284-298
Parallel processing
digital VLSI systs., math. basis for power reduct. *Shanbhag, N.R., T-CAS2 Nov 97* 935-951
Parallel processing; cf. Multiprocessing; Pipeline processing
Parallel programming; cf. Parallel algorithms
Parameter estimation
hysteresis phenom., SPICE macromodeling, nonlin. mag. cores. *Brachtendorf, H.G., + , T-CAS2 May 97* 378-388
rational transfer fns. with repeated/localized poles, sensitivity anal. *Place, A.G., + , T-CAS2 Oct 97* 869-873
Parker, Sydney R.
obituary. *Mitra, S.K., T-CAS2 Mar 97* 153
Partial differential equations
2D noncausal IIR filters. *Daniel, M.M., + , T-CAS2 Jul 97* 549-563
Pattern recognition; cf. Speech recognition
Perceptrons; cf. Multilayer perceptrons
Permutations
permutation filter design, group colorings. *Barner, K.E., + , T-CAS2 Jul 97* 531-548
Personal communication networks
group-delay optimized IF filters for narrowband PCS. *Lipin Ai, + , T-CAS2 Jun 97* 461-467
InP HBT RF power amp. for pers. access commun. syst. transmitter. *Izadpanah, H., + , T-CAS2 Jun 97* 482-487
Phased array radar
digital IIR filters, init. *Al-Ahmad, H., + , T-CAS2 May 97* 417-420
Phase jitter
charge-pump PLL, optimum phase-acquisition tech. *Gyoung-Tae Roh, + , T-CAS2 Sep 97* 729-740
dual-loop DPLL gear-shifting algm. for fast sync. *Beomsup Kim, T-CAS2 Jul 97* 577-586
freq.-domain echo canceller, phase adjustment. *Fertner, A., T-CAS2 Oct 97* 835-841
Phase locked loops
charge-pump PLL, optimum phase-acquisition tech. *Gyoung-Tae Roh, + , T-CAS2 Sep 97* 729-740

dual-loop DPLL gear-shifting algm. for fast sync. *Beomsup Kim, T-CAS2 Jul 97* 577-586
Pipeline processing
background digital calib. techs. for pipelined ADCs. *Un-Ku Moon, + , T-CAS2 Feb 97* 102-109
digital filtering archits., pipelining/interleaving tech. *Zhongnong Jiang, + , T-CAS2 Feb 97* 110-119
digital multipliers, power consumption bounds estim. *Satyanarayana, J.H., + , T-CAS2 Jun 97* 473-481
digital VLSI systs., math. basis for power reduct. *Shanbhag, N.R., T-CAS2 Nov 97* 935-951
fast running max-min filters, algm. and implement. *Coltuc, D., + , T-CAS2 Aug 97* 660-663
Pipeline processing; cf. Systolic arrays
Pole assignment
rational transfer fns. with repeated/localized poles, sensitivity anal. *Place, A.G., + , T-CAS2 Oct 97* 869-873
Poles and zeros
II-based all-pass filters from op amp-based ccts. *Soliman, A.M., T-CAS2 Apr 97* 324-330
Polynomial approximation
analog filter synthesis, num. tech. *Geffe, P.R., T-CAS2 Apr 97* 336-338
Polynomial matrices
recursive 1D variable filters with guaranteed stabil., design. *Tian-Bo Deng, T-CAS2 Sep 97* 689-695
Polynomials
2D filter, charact. polynomial stabil. test simplification. *Xiheng Hu, T-CAS2 Apr 97* 330-332
fast lin. independ. logic transforms., classif. and props. *Falkowski, B.J., + , T-CAS2 Aug 97* 646-655
IIR multiple notch filter design based on allpass filter. *Soo-Chang Pei, + , T-CAS2 Feb 97* 133-136
low sensit. digital filter realizations, LBR two-pair extraction methods. *Jae Hwi Shin, + , T-CAS2 Mar 97* 226-239
rational transfer fns. with repeated/localized poles, sensitivity anal. *Place, A.G., + , T-CAS2 Oct 97* 869-873
Portable radio communication
low power prog. matched filters for portable wireless terminals, comparison. *Hahm, M.D., + , T-CAS2 Jun 97* 498-506
Portable radio communication; cf. Personal communication networks
Power bipolar transistor amplifiers; cf. UHF power bipolar transistor amplifiers
Prediction methods
adaptive FIR filtering in cascade form, fast multichannel RLS algm. *Coradine, L.C., + , T-CAS2 Sep 97* 757-762
asymmetric half-plane lattice modeling based on 2-D Levinson algm. *Nakachi, T., + , T-CAS2 Oct 97* 865-868
forward-backward LMS adaptive filters, efficient implement. *Hen-Geul Yeh, T-CAS2 Apr 97* 332-336
Prediction methods; cf. Differential pulse code modulation
Probability
time-freq. sig. anal. syst., VLSI archit. *Stankovic, S., + , T-CAS2 Jul 97* 600-604
Processor scheduling
multidimensional DSP appls., memory access overhead minimization. *Wang, J.Q., + , T-CAS2 Sep 97* 741-753
Programmable filters
low power prog. matched filters for portable wireless terminals, comparison. *Hahm, M.D., + , T-CAS2 Jun 97* 498-506
Programmable logic arrays
FSM factorization with modify and restore method, multilevel implement. *Mohan, C.R., + , T-CAS2 May 97* 371-377
Programmable logic arrays; cf. Field programmable gate arrays
Pseudonoise coded communication
DS/CDMA commun., blind interf. suppression algm. *Park, O.C., + , T-CAS2 Jun 97* 453-460
Pulse code modulation; cf. Differential pulse code modulation
Pulse shaping circuits
BiCMOS continuous-time shaping filter, read-out electronics appl. *Baschirotto, A., + , T-CAS2 May 97* 404-406

Q

Q factor
act.-RLC bandpass filter, lossy integrated inductors. *Duncan, R., + , T-CAS2 May 97* 341-347
fixed gain amp. HF integrable bandpass filter config. *Comer, D.T., + , T-CAS2 Oct 97* 856-861
low power current-mode second-order bandpass IF filter. *Fabre, A., + , T-CAS2 Jun 97* 436-446
multifunction biquadratic filters, current conveyors. *Chun-Ming Chang, T-CAS2 Nov 97* 956-958
Quadratic programming
2D weighted Chebyshev FIR filters, min. norm design. *Nordebo, S., + , T-CAS2 Mar 97* 251-253
sigma-DM, optimized reduced sample rate. *Birru, D., T-CAS2 Nov 97* 896-906
Quadrature mirror filters
eigen design method. *Andrew, L., + , T-CAS2 Sep 97* 754-757
lattice struct. based orthonormal DWTs, VLSI archits. *Denk, T.C., + , T-CAS2 Feb 97* 129-132
Quality assurance
IC testing for QA in mfg., review. *Grochowski, A., + , T-CAS2 Aug 97* 610-633
Quantization
ADC, duty-cycle modulation. *Roza, E., T-CAS2 Nov 97* 907-914
digital images, multilevel halftoning, CNN paradigm. *Bakic, P.R., + , T-CAS2 Jan 97* 50-53
rational transfer fns. with repeated/localized poles, sensitivity anal. *Place, A.G., + , T-CAS2 Oct 97* 869-873
statistically optimum pre- and postfiltering in quantization. *Tuqan, J., + , T-CAS2 Dec 97* 1015-1031
stochastic anal. of ΣΔ/differential pulse code modulators. *Sharma, R., + , T-CAS2 Oct 97* 798-807

R

Radar; cf. Phased array radar
Radar scattering
discrete layered lossy and absorbing media, forward and inverse scatt. *Frolik, J.L., + , T-CAS2 Sep 97* 710-722
Radar signal processing
digital IIR filters, init. *Al-Ahmad, H., + , T-CAS2 May 97* 417-420
Radiation detector circuits
BiCMOS continuous-time shaping filter, read-out electronics appl. *Baschirotto, A., + , T-CAS2 May 97* 404-406
Radio communication
low power wireless communications (special issue). *T-CAS2 Jun 97* 425-516
low power wireless communications, special issue intro. *Kiaei, S., + , T-CAS2 Jun 97* 425-427
Radio communication; cf. Digital radio; HF radio communication; Land mobile radio...; Portable radio communication
Radio communication equipment
low power wireless communications (special issue). *T-CAS2 Jun 97* 425-516
low power wireless communications, special issue intro. *Kiaei, S., + , T-CAS2 Jun 97* 425-427
Radio communication equipment; cf. Land mobile radio equipment; Radio receivers; Transceivers
Radio receivers
direct-conversion receivers, design. *Razavi, B., T-CAS2 Jun 97* 428-435
Radix conversion
forward-backward LMS adaptive filters, efficient implement. *Hen-Geul Yeh, T-CAS2 Apr 97* 332-336
Random noise; cf. Gaussian noise
Rational functions
rational transfer fns. with repeated/localized poles, sensitivity anal. *Place, A.G., + , T-CAS2 Oct 97* 869-873
Rayleigh channels
asynchronous DS-CDMA in Rayleigh fading, adaptive multiuser detector. *Dutta, A.K., + , T-CAS2 Jun 97* 468-472
Real time systems
auditory, extraction, continuous-time discrete-sig. proc. IC. *Kumar, N., + , T-CAS2 Sep 97* 723-728
multiple narrow-band interf. suppress., adaptive notch filters. *Soderstrand, M.A., + , T-CAS2 Mar 97* 217-225
parallel hybrid data/command driven archit., scalable dyn. load balancing cct. *Heath, J.R., + , T-CAS2 Jan 97* 22-40
Receivers; cf. Radio receivers
Recursive digital filters
1D variable filters with guaranteed stabil., design. *Tian-Bo Deng, T-CAS2 Sep 97* 689-695
2D recursive image filtering algm., edge preserving props., num. complexity. *Concetti, A., + , T-CAS2 Jul 97* 587-591
fixed-point direct-form recursive digital filters, high speed, dyn. scaling. *Fernando, J.S., + , T-CAS2 Oct 97* 861-864
hyperstable adaptive recursive filters for image filtering. *Tan, A.C., + , T-CAS2 May 97* 358-370
polyphase DFT filter banks with fading memory, recursive FT. *Varkonyi-Koczy, A.R., T-CAS2 Aug 97* 670-673

+ *Check author entry for coauthors*

†*Check author entry for subsequent corrections/comments*

Recursive estimation
asymmetric half-plane lattice modeling based on 2-D Levinson algm. *Nakachi, T.*, + , *T-CAS2 Oct 97* 865-868
STAR recursive least square adaptive filters. *Li, Y.*, + , *T-CAS2 Dec 97* 1040-1054
Recursive estimation; cf. Kalman filtering
Reduced order systems
2D separable denominator digital systs., model reduction. *Chengshan Xiao, T-CAS2 Nov 97* 979-982
order reduction of 2D FIR filters with appls. *Lu, W.-S., T-CAS2 Dec 97* 1055-1058
Registers; cf. Shift registers
Relaxation oscillators; cf. Flip-flops
Residue arithmetic
full adder-based inner product archits., VLSI design methodology. *Soudris, D.J.*, + , *T-CAS2 Apr 97* 315-318
weighted no. syst. conversion, digit parallel method. *Gallaher, D.*, + , *T-CAS2 Jan 97* 53-57
Resource management
parallel hybrid data/command driven archit., scalable dyn. load balancing cct. *Heath, J.R.*, + , *T-CAS2 Jan 97* 22-40
Reviews
IC testing for QA in mfg. *Grochowski, A.*, +, *T-CAS2 Aug 97* 610-633
RLC circuits
Q-enhanced act.-RLC bandpass filter, lossy integrated inductors. *Duncan, R.*, + , *T-CAS2 May 97* 341-347
Roundoff errors
2D digital recursive filters, stabil. tests, rounding errors. *Barret, M.*, + , *T-CAS2 Apr 97* 319-323
low sensit. digital filter realizations, LBR two-pair extraction methods. *Jae Hwi Shin*, + , *T-CAS2 Mar 97* 226-239
parallel form digital filters, floating-point roundoff noise. *Chimin Tsai, T-CAS2 Sep 97* 774-779
state-space digital filters, floating-point DSP implement., roundoff noise anal. *Bomar, B.W.*, + , *T-CAS2 Nov 97* 952-955

S

Scheduling; cf. Processor scheduling
Self-testing
lin. cct. fault diagnosis, neuromorphic analyzers. *Spina, R.*, + , *T-CAS2 Mar 97* 188-196
Semiconductor memories
faulty behavior modelling of ECL storage elements. *Menon, S.M.*, + , *T-CAS2 Nov 97* 970-974
Semiconductor memories; cf. Bipolar memory integrated circuits
Sensitivity
adaptive IIR filters, min. complexity, sensitivity generation. *Williamson, G.A., T-CAS2 Aug 97* 673-678
rational transfer fns. with repeated/localized poles, sensitivity anal. *Place, A.G.*, + , *T-CAS2 Oct 97* 869-873
switched-current ccts., offset current cancellation. *Tai-Haur Kuo*, + , *T-CAS2 Apr 97* 299-309
Sequential logic circuits
FSM factorization with modify and restore method, multilevel implement. *Mohan, C.R.*, + , *T-CAS2 May 97* 371-377
Set theory; cf. Fuzzy sets
Shift registers
CMOS pass-transistor adiabatic logic, single power-clock supply. *Oklobdzija, V.G.*, + , *T-CAS2 Oct 97* 842-846
Sigma-delta modulation
ADC, duty-cycle modulation. *Roza, E., T-CAS2 Nov 97* 907-914
fixed-point FIR digital filter design techs., comparison. *Dempster, A.G.*, + , *T-CAS2 Jul 97* 591-593
high-order sigma-delta modulators, anal. framework. *Steiner, P.*, + , *T-CAS2 Jan 97* 1-10
optimized reduced sample rate. *Birru, D., T-CAS2 Nov 97* 896-906
poly-phase sigma-DM. *Roza, E., T-CAS2 Nov 97* 915-923
SC ccts. using correl. double sampling, nonlin. distort. reduct. *Yunteng Huang*, + , *T-CAS2 Jul 97* 593-597
stochastic anal. of ΣΔ/differential pulse code modulators. *Sharma, R.*, + , *T-CAS2 Oct 97* 798-807
time-interleaved oversampling ADCs, design and implement. *Khoini-Poorfard, R.*, + , *T-CAS2 Aug 97* 634-645
topologies, single-stage/multistage archits. *Fischer, G.*, + , *T-CAS2 Oct 97* 789-797
tunable Gm-C bandpass device. *Shoaei, O.*, + , *T-CAS2 Jul 97* 521-530
Signal analysis
lin. cct. fault diagnosis, neuromorphic analyzers. *Spina, R.*, + , *T-CAS2 Mar 97* 188-196
sig. power estim. methods, implements. *Sei-Yeu Cheng*, + , *T-CAS2 Mar 97* 240-250
time-freq. sig. anal. syst., VLSI archit. *Stankovic, S.*, + , *T-CAS2 Jul 97* 600-604
Signal analysis; cf. Harmonic analysis; Spectral analysis
Signal detection
D sig. acquisition, commutable band-pass filter. *Solhusvik, J.*, + , *T-CAS2 Mar 97* 164-173
Signal detection; cf. Adaptive signal detection
Signal flow graphs
switched-current ccts., offset current cancellation. *Tai-Haur Kuo*, + , *T-CAS2 Apr 97* 299-309
Signal generators; cf. Noise generators
Signal processing
charge-pump PLL, optimum phase-acquisition tech. *Gyoung-Tae Roh*, + , *T-CAS2 Sep 97* 729-740
digital filtering archits., pipelining/interleaving tech. *Zhongnong Jiang*, + , *T-CAS2 Feb 97* 110-119
externally LTI systs., companding sig. proc. appl. *Tsividis, Y., T-CAS2 Feb 97* 65-85
fast DCT algm. and systolic VLSI implement. *Yu-Tai Chang*, + , *T-CAS2 Nov 97* 959-962
low power wireless communications (special issue). *T-CAS2 Jun 97* 425-516
low power wireless communications, special issue intro. *Kiaei, S.*, + , *T-CAS2 Jun 97* 425-427
multiple narrow-band interf. suppress., adaptive notch filters. *Soderstrand, M.A.*, + , *T-CAS2 Mar 97* 217-225
rational transfer fns. with repeated/localized poles, sensitivity anal. *Place, A.G.*, + , *T-CAS2 Oct 97* 869-873
running DHTs and DWTs comp. based on adaptive LMS algm. *Jingtao Xi*, + , *T-CAS2 Mar 97* 257-260
state-space digital filters, floating-point DSP implement., roundoff noise anal. *Bomar, B.W.*, + , *T-CAS2 Nov 97* 952-955
Signal processing; cf. Adaptive signal processing; Array signal processing; Filtering; Filters; Image processing; Multidimensional signal processing; Radar signal processing; Signal sampling
Signal reconstruction; cf. Image reconstruction
Signal representations
multiple transform algms. for time-varying sig. representation. *DeBrunner, V.*, + , *T-CAS2 Aug 97* 663-667
time-freq. sig. anal. syst., VLSI archit. *Stankovic, S.*, + , *T-CAS2 Jul 97* 600-604
Signal representations; cf. Image representations
Signal sampling
D sig. acquisition, commutable band-pass filter. *Solhusvik, J.*, + , *T-CAS2 Mar 97* 164-173
poly-phase sigma-DM. *Roza, E., T-CAS2 Nov 97* 915-923
SC ccts. using correl. double sampling, nonlin. distort. reduct. *Yunteng Huang*, + , *T-CAS2 Jul 97* 593-597
sigma-DM, optimized reduced sample rate. *Birru, D., T-CAS2 Nov 97* 896-906
time-interleaved oversampling ADCs, design and implement. *Khoini-Poorfard, R.*, + , *T-CAS2 Aug 97* 634-645
Signal sampling; cf. Image sampling
Simulation
anchored blind equalization, const. modulus algm. *Kamel, R.E.*, + , *T-CAS2 May 97* 397-403
Simulation; cf. Circuit simulation
Singular value decomposition
fuzzy logic systs., design methods. *Mendel, J.M.*, + , *T-CAS2 Nov 97* 885-895
SONET
AGC archit. for SONET OC-3 VLSI. *Chorng-Kuang Wang*, + , *T-CAS2 Sep 97* 779-783
Special issues and sections
low power wireless communications (special issue). *T-CAS2 Jun 97* 425-516
low power wireless communications, special issue intro. *Kiaei, S.*, + , *T-CAS2 Jun 97* 425-427
Spectral analysis
asymmetric half-plane lattice modeling based on 2-D Levinson algm. *Nakachi, T.*, + , *T-CAS2 Oct 97* 865-868
Speech recognition
auditory, extraction, continuous-time discrete-sig. proc. IC. *Kumar, N.*, + , *T-CAS2 Sep 97* 723-728
SPICE
hysteresis phenom., SPICE macromodeling, nonlin. mag. cores. *Brachtendorf, H.G.*, + , *T-CAS2 May 97* 378-388
II-based all-pass filters from op amp-based ccts. *Soliman, A.M., T-CAS2 Apr 97* 324-330

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

Spline functions
Kalman filter state estim. *Harashima, M.*, + , *T-CAS2 May 97* 421-424
Spread spectrum communication
one-shot decorrelating detector for CDMA commun., adaptive implement. *Myers, T.*, + , *T-CAS2 Sep 97* 762-765
robust echo canceler for acoustic environ., teleconference/speaker systs. *Doherty, J.F.*, + , *T-CAS2 May 97* 389-396
time domain proc. device. *Shiping He*, + , *T-CAS2 Jun 97* 447-452
Spread spectrum communication; cf. Pseudonoise coded communication
Stability
parametrized s-to-z-plane mapping for continuous-time/discrete-time conversion. *Melvin, W.L.*, + , *T-CAS2 Oct 97* 829-834
Stability; cf. Asymptotic stability; Circuit stability; Input-output stability; Numerical stability
State assignment
FSM factorization with modify and restore method, multilevel implement. *Mohan, C.R.*, + , *T-CAS2 May 97* 371-377
State estimation
spline approx., Kalman filter state estim. *Harashima, M.*, + , *T-CAS2 May 97* 421-424
State estimation; cf. Kalman filtering
State space methods
2D adaptive state-space filters based on Fornasini-Marchesini second model. *Hinamoto, T.*, + , *T-CAS2 Aug 97* 667-670
digital filters, floating-point DSP implement., roundoff noise anal. *Bomar, B.W.*, + , *T-CAS2 Nov 97* 952-955
FSM factorization with modify and restore method, multilevel implement. *Mohan, C.R.*, + , *T-CAS2 May 97* 371-377
high-order sigma-delta modulators, anal. framework. *Steiner, P.*, + , *T-CAS2 Jan 97* 1-10
Statistics; cf. Higher order statistics
Stochastic approximation
invariant-norm principal component anal. algm., exponential stabil. *Reif, K.*, + , *T-CAS2 Oct 97* 873-876
stochastic anal. of ΣΔ/differential pulse code modulators. *Sharma, R.*, + , *T-CAS2 Oct 97* 798-807
Stochastic processes; cf. Autoregressive processes; Gaussian processes; Time series
Subscriber loops
high-speed data commun. systs., adaptive gain control. *Fertner, A.*, + , *T-CAS2 Nov 97* 962-966
Surface acoustic wave correlators
SS syst., time domain proc. device. *Shiping He*, + , *T-CAS2 Jun 97* 447-452
Switched capacitor circuits
bias optim. for switched capacitor amps. *Opris, I.E.*, + , *T-CAS2 Dec 97* 985-989
nonlin. distort. reduct. in cct s., correl. double sampling. *Yunteng Huang*, + , *T-CAS2 Jul 97* 593-597
time-interleaved oversampling ADCs, design and implement. *Khoini-Poorfard, R.*, + , *T-CAS2 Aug 97* 634-645
Switched circuits
offset current cancellation tech. *Tai-Haur Kuo*, + , *T-CAS2 Apr 97* 299-309
Switched circuits; cf. Commutated circuits; Switched capacitor circuits
Switched filters
effects of mismatching and clock-feedthrough in switched-current filters using behavioral simul. *Yufera, A.*, + , *T-CAS2 Dec 97* 1058-1067
Switching amplifiers
SC cct s. using correl. double sampling, nonlin. distort. reduct. *Yunteng Huang*, + , *T-CAS2 Jul 97* 593-597
Switching circuits; cf. Switching amplifiers
Switching functions
fast lin. independ. logic transforms., classif. and props. *Falkowski, B.J.*, + , *T-CAS2 Aug 97* 646-655
Switching functions; cf. State assignment
Synchronization
charge-pump PLL, optimum phase-acquisition tech. *Gyoung-Tae Roh*, + , *T-CAS2 Sep 97* 729-740
dual-loop DPLL gear-shifting algm. for fast sync. *Beomsup Kim, T-CAS2 Jul 97* 577-586
high-speed data commun. systs., adaptive gain control. *Fertner, A.*, + , *T-CAS2 Nov 97* 962-966
Systolic arrays
fast DCT algm. and systolic VLSI implement. *Yu-Tai Chang*, + , *T-CAS2 Nov 97* 959-962

T

Teleconferencing
robust echo canceler for acoustic environ., teleconference/speaker systs. *Doherty, J.F.*, + , *T-CAS2 May 97* 389-396
Test equipment; cf. Automatic test equipment
Testing; cf. Automatic testing; Circuit testing; Manufacturing testing
Time domain analysis
parametrized s-to-z-plane mapping for continuous-time/discrete-time conversion. *Melvin, W.L.*, + , *T-CAS2 Oct 97* 829-834
SS syst., time domain proc. device. *Shiping He*, + , *T-CAS2 Jun 97* 447-452
Time-frequency analysis
VLSI archit. for time-freq. sig. anal. syst. *Stankovic, S.*, + , *T-CAS2 Jul 97* 600-604
Time measurement
auditory, extraction, continuous-time discrete-sig. proc. IC. *Kumar, N.*, + , *T-CAS2 Sep 97* 723-728
Time series
fuzzy logic systs., design methods. *Mendel, J.M.*, + , *T-CAS2 Nov 97* 885-895
Time series; cf. Autoregressive processes
Time-varying circuits; cf. Switched circuits; Time-varying filters
Time-varying filters
partial-band time-varying systs., optimal design. *Campbell, W.M.*, + , *T-CAS2 Apr 97* 274-283
Time-varying filters; cf. Switched filters
Timing
charge-pump PLL, optimum phase-acquisition tech. *Gyoung-Tae Roh*, + , *T-CAS2 Sep 97* 729-740
low power datapaths, flip-flops, gated clocks. *Lang, T.*, + , *T-CAS2 Jun 97* 507-516
Toeplitz matrices
discrete layered lossy and absorbing media, forward and inverse scatt. *Frolik, J.L.*, + , *T-CAS2 Sep 97* 710-722
Topology; cf. Circuit topology
Tracking loops; cf. Phase locked loops
Transceivers
high-speed data commun. systs., adaptive gain control. *Fertner, A.*, + , *T-CAS2 Nov 97* 962-966
Transfer functions
2D adaptive state-space filters based on Fornasini-Marchesini second model. *Hinamoto, T.*, + , *T-CAS2 Aug 97* 667-670
2D IIR notch filter design, outer product expansion. *Soo-Chang Pei*, + , *T-CAS2 Sep 97* 765-768
asymmetric half-plane lattice modeling based on 2-D Levinson algm. *Nakachi, T.*, + , *T-CAS2 Oct 97* 865-868
lossless bounded real realization of MIMO systs., rot. blocks. *Seung Joo Maeng*, + , *T-CAS2 Apr 97* 310-315
low sensit. digital filter realizations, LBR two-pair extraction methods. *Jae Hwi Shin*, + , *T-CAS2 Mar 97* 226-239
multifunction biquadratic filters, current conveyors. *Chun-Ming Chang, T-CAS2 Nov 97* 956-958
rational transfer fns. with repeated/localized poles, sensitivity anal. *Place, A.G.*, + , *T-CAS2 Oct 97* 869-873
recursive 1D variable filters with guaranteed stabil., design. *Tian-Bo Deng, T-CAS2 Sep 97* 689-695
Transform coding
multiple transform algms. for time-varying sig. representation. *DeBrunner, V.*, + , *T-CAS2 Aug 97* 663-667
nonorthogonal basis image, representation, recursive parallel mixed transform. *Berg, A.P.*, + , *T-CAS2 Oct 97* 818-828
Transforms
fast lin. independ. logic transforms., classif. and props. *Falkowski, B.J.*, + , *T-CAS2 Aug 97* 646-655
Transforms; cf. Discrete transforms; Wavelet transforms
Transmission line theory
discrete layered lossy and absorbing media, forward and inverse scatt. *Frolik, J.L.*, + , *T-CAS2 Sep 97* 710-722
Transmitters; cf. UHF transmitters
Tunable amplifiers
CMOS OTA, lin. fully bal. amp., VHF filtering. *Szczepanski, S.*, + , *T-CAS2 Mar 97* 174-187
Tunable filters
differential act. load and appls. in CMOS analog cct. designs. *Prodanov, V.I.*, + , *T-CAS2 Apr 97* 265-273
multifunction biquadratic filters, current conveyors. *Chun-Ming Chang, T-CAS2 Nov 97* 956-958
self-tuning NLMS adaptive filter, parallel adaptation. *Peters, S.D.*, + , *T-CAS2 Jan 97* 11-21
Tuning; cf. Circuit tuning

U

UHF integrated circuits
IC testing for QA in mfg., review. *Grochowski, A.*, + , *T-CAS2 Aug 97* 610-633

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

UHF power bipolar transistor amplifiers
InP HBT RF power amp. for pers. access commun. syst. transmitter. *Izadpanah, H.*, + , *T-CAS2 Jun 97* 482-487
UHF transmitters
InP HBT RF power amp. for pers. access commun. syst. transmitter. *Izadpanah, H.*, + , *T-CAS2 Jun 97* 482-487
Uncertain systems; cf. Fuzzy systems

V

Velocity measurement
pulse-based analog CMOS VLSI vel. sens. *Krammer, J.*, + , *T-CAS2 Feb 97* 86-101
Very-large-scale integration
analog Gaussian radial basis cct., scalable LV implement. *Theogarajan, L.*, + , *T-CAS2 Nov 97* 977-979
auditory, extraction, continuous-time discrete-sig. proc. IC. *Kumar, N.*, + , *T-CAS2 Sep 97* 723-728
corrections to "Wideband CMOS transconductor for analog VLSI systems" (Nov 96 775-776). *Raut, R., T-CAS2 Apr 97* 338
digital VLSI systs., math. basis for power reduct. *Shanbhag, N.R., T-CAS2 Nov 97* 935-951
fast DCT algm. and systolic VLSI implement. *Yu-Tai Chang*, + , *T-CAS2 Nov 97* 959-962
GF(2^m) VLSI archits., exponentiations, multiplicative inverses, divisions. *Shyue-Win Wei, T-CAS2 Oct 97* 847-855
lattice struct. based orthonormal DWTs, VLSI archits. *Denk, T.C.*, + , *T-CAS2 Feb 97* 129-132
parallel hybrid data/command driven archit., scalable dyn. load balancing cct. *Heath, J.R.*, + , *T-CAS2 Jan 97* 22-40
pulse-based analog CMOS VLSI vel. sens. *Krammer, J.*, + , *T-CAS2 Feb 97* 86-101
RNS full adder-based inner product archits., VLSI design methodology. *Soudris, D.J.*, + , *T-CAS2 Apr 97* 315-318
SONET OC-3 VLSI, AGC archit. *Chorng-Kuang Wang*, + , *T-CAS2 Sep 97* 779-783
time-freq. sig. anal. syst., VLSI archit. *Stankovic, S.*, + , *T-CAS2 Jul 97* 600-604
VHF filters
CMOS OTA, lin. fully bal. amp., VHF filtering. *Szczepanski, S.*, + , *T-CAS2 Mar 97* 174-187
low power current-mode second-order bandpass IF filter. *Fabre, A.*, + , *T-CAS2 Jun 97* 436-446
Voltage-frequency conversion
auditory, extraction, continuous-time discrete-sig. proc. IC. *Kumar, N.*, + , *T-CAS2 Sep 97* 723-728
Voltage multipliers
CMOS analog cct. designs, differential act. load appls. *Prodanov, V.I.*, + , *T-CAS2 Apr 97* 265-273

W

Walsh analysis
multilevel split-path adaptive filtering and DWT adaptation. *Wan, K.F.*, + , *T-CAS2 Feb 97* 147-151
running DHTs and DWTs comp. based on adaptive LMS algm. *Jingtao Xi*, + , *T-CAS2 Mar 97* 257-260
Wavelet transforms
lattice struct. based orthonormal DWTs, VLSI archits. *Denk, T.C.*, + , *T-CAS2 Feb 97* 129-132
White noise
anchored blind equalization, const. modulus algm. *Kamel, R.E.*, + , *T-CAS2 May 97* 397-403
lin. cct. fault diagnosis, neuromorphic analyzers. *Spina, R.*, + , *T-CAS2 Mar 97* 188-196
parallel form digital filters, floating-point roundoff noise. *Chimin Tsai, T-CAS2 Sep 97* 774-779
Wigner distributions
time-freq. sig. anal. syst., VLSI archit. *Stankovic, S.*, + , *T-CAS2 Jul 97* 600-604

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments